

COUNTY OF



ALLEGHENY

**RICH FITZGERALD**  
COUNTY EXECUTIVE

January 28, 2022

DAN SWEARINGEN  
5 NORTH LINDEN ST  
DUQUESNE PA 15110

**RE: Episode Mitigation Plan - Approved**

Dear DAN SWEARINGEN:

Thank you for the submission of the DURA-BOND (DUQUESNE) episode mitigation plan to the Allegheny County Health Department Air Quality Program as required by §2106.06 of Article XXI. The Department has reviewed your submission and we are pleased to inform you that the mitigation plan for your facility at 5 N LINDEN ST DUQUESNE PA 15110 has been approved.

In the event of an episode, please submit all required documentation demonstrating compliance with your submitted episode mitigation plan to the Department within seven (7) days following the closure of the episode.

Although your plan has been approved, The Department may request additional information to conduct modeling for an impact analysis using the data you have provided. The results could be used to suggest modifications to your plan.

If you have any questions concerning this letter, or if we can be of further assistance, please call Dean DeLuca at 412-578-8188 or Jayme Graham at 412-578-8129.

Regards,

Jayme Graham  
Air Quality Program Manager

cc: File



DEBRA BOGEN, MD, FAAP, FABM, DIRECTOR  
**ALLEGHENY COUNTY HEALTH DEPARTMENT**  
542 FOURTH AVENUE • PITTSBURGH, PA 15219  
PHONE (412) 687-ACHD (2243) • FAX (412) 578-8325  
[WWW.ALLEGHENYCOUNTY.US/HEALTHDEPARTMENT](http://WWW.ALLEGHENYCOUNTY.US/HEALTHDEPARTMENT)

