

COUNTY OF



ALLEGHENY

March 31, 2022

Robert Schaefer, President
Riverlift Industries (Clairton Slag)
1000 Madison Avenue
West Elizabeth Township, PA 15088

RE: Revised Episode Mitigation Plan – Approved

Dear Mr. Schaefer:

Thank you for the revised submission of the Riverlift Industries (Clairton Slag) episode mitigation plan to the Allegheny County Health Department Air Quality Program as required by §2106.06 of Article XXI. The Department has reviewed your revised submission and we are pleased to inform you that the revised mitigation plan for your facility at 1000 Madison Avenue, West Elizabeth Township PA 15088 has been approved.

In the event of an episode, please submit all required documentation demonstrating compliance with your submitted episode mitigation plan to the Department within seven (7) days following the closure of the episode.

Although your plan has been approved, The Department may conduct further analysis or reviews, such as modeling, for an impact analysis using the data you have provided. The results could be used to suggest future modifications to your plan.

If you have any questions concerning this letter, or if we can be of further assistance, please contact JoAnn Truchan at JoAnn.Truchan@AlleghenyCounty.US or Dean Deluca at Dean.DeLuca@AlleghenyCounty.US.

Regards,

JoAnn Truchan, P.E.
Air Quality Manager



DEBRA BOGEN, MD, FAAP, FABM, DIRECTOR
ALLEGHENY COUNTY HEALTH DEPARTMENT
AIR QUALITY PROGRAM

301 39TH STREET • CLACK HEALTH CENTER • BUILDING 7
PITTSBURGH, PA 15201-1811
PHONE (412) 578-8103 • FAX (412) 578-8144
24-HR (412) 687-ACHD (2243)
WWW.ALLEGHENYCOUNTY.US/HEALTHDEPARTMENT

