

2013

Air Quality

Annual Report





Allegheny County Health Department Air Quality Program 301 39th St., Bldg. #7 Pittsburgh, PA 15201

Air Quality Annual Report for 2013

with 1993-2013 Trends



Pictured on the front cover...

An example of a 6-liter SUMMA canister with a controller. A SUMMA canister is a stainless steel electropolished, or SUMMA polished, passive vessel used to collect an air sample. ACHD currently deploys SUMMA canisters at Flag Plaza in Downtown Pittsburgh for use in measuring air toxics. An ambient air sample is drawn from outside using a Teflon sampling probe. An inert bellows pump operates for 24 hours to pressurize the air sample into the canister. The canister is sent to a laboratory for analysis, according to the EPA's guidelines for air, specifically method TO-15.

Below is a map of all monitoring locations. Downtown Pittsburgh comprises the Downtown and Flag Plaza sites.




TABLE OF CONTENTS

Pr	eface	9	i
1.	Exe	cutive Summary	1
2.	Atta	inment of the Federal Standards	3
3.	Air N	Monitoring Results	
	A.	Ozone (O ₃)	5
	B.	Particulate Matter - 2.5 microns or less (PM _{2.5})	8
	C.	Particulate Matter - 10 microns or less (PM ₁₀)	15
	D.	Sulfur Dioxide (SO ₂)	17
	E.	Carbon Monoxide (CO)	
	F.	Nitrogen Dioxide (NO ₂)	
	G.	Total Suspended Particulates (TSP)	
	H.	Lead (Pb)	
	I.	Hydrogen Sulfide (H ₂ S)	
	J.	Dustfall	
	K.	Benzo(a)pyrene (B(a)P)	
	L.	Hazardous Air Pollutants (HAPs)	28
4.	Sho	rt-Term Exceedances	32
5.	Air (Quality Index	35
6.	Poll	utants, Sources, and Health Effects	37
7.	Air N	Monitoring Network	39
		······································	

Preface

This report reflects air quality as sampled and validated by the Allegheny County Health Department (ACHD) through the calendar year of 2013.

For comparison to previous data, this report also provides 2012 data and twenty-year trends. For standards that require consecutive years' averages, multi-year averages are also given. Note that multi-year design values will be calculated as specified by the U.S. Environmental Protection Agency (EPA); if the standard requires calculations on a quarterly basis, such as with PM_{2.5}, the multi-year average will be calculated as such.

Exceedances are given for pollutants. An *exceedance* is a concentration that exceeds a standard but does not necessarily constitute a *violation* of a standard. For some standards, a violation is a culmination of several exceedances over a multi-year period. The standards for each pollutant are described in detail in the pollutant sections.

Official validated concentrations are submitted to EPA's Air Quality System (AQS) on a quarterly basis, and selected parameters are available at the AirData website: www.epa.gov/airdata/. Allegheny County air quality data for 2013 was certified in AQS in mid-2014.

Unofficial data for ozone and PM_{2.5} is reported to EPA's AIRNow on an hourly basis and is available at the AIRNow website: www.airnow.gov/.

Unofficial Air Quality Index (AQI) levels are also available each hour for all continuously monitored pollutants via ACHD phone recording at 412-578-8179.

1. Executive Summary

The County recorded four exceedance days for 8-hour ozone in 2013, with one day above 0.085 parts per million (ppm). The ACHD monitors showed nonattainment of the 8-hour standard for the seventh consecutive 3-year period. The highest 3-year average of the 4th maximum concentration for 2011-2013 was 0.080 ppm at Harrison.

For particulate matter 2.5 microns or less in diameter (PM_{2.5}), one of the eight monitoring sites was above the annual standard of 12.0 μ g/m³ (micrograms/cubic meter); Liberty was 13.4 μ g/m³ for the years 2011-2013.

On a short-term basis, the Liberty FRM (Federal Reference Method) $PM_{2.5}$ monitor exceeded the 24-hour standard of 35 μ g/m³ six times, leading to a 98th-percentile value of 31.1 μ g/m³. On December 17, 2006, the new EPA 24-hour $PM_{2.5}$ standard of 35 μ g/m³ became effective. Data from only the Liberty $PM_{2.5}$ monitor in Allegheny County shows nonattainment of this standard.

Concurrent with the revised 24-hour $PM_{2.5}$ standard, the annual standard of 50 μ g/m³ for PM_{10} was revoked. Annual averages are included in this report and may be included in future reports for comparative purposes.

A new 1-hour federal standard of 75 ppb was started in 2010 for SO_2 . To attain this standard, the 3-year average of the 99^{th} percentile of the daily maximum 1-hour average at each monitor must not exceed 75 ppb.

A new 1-hour federal standard 100 ppb was started in 2010 for NO₂. To attain this standard, the 3-year average of the 98th percentile of the daily maximum 1-hour average at each monitor must not exceed 100 ppb.

All exceedances of the short-term standards in 2013 are shown in the table on the next page. All other criteria pollutants were below the annual and short-term federal standards in 2013. Ozone can have a short-term exceedance of either the 1-hour or 8-hour standard and will be labeled as such. The $PM_{2.5}$ short-term exceedances are for the 24-hour standard and the SO_2 short-term exceedances are for the 1-hour standard.

2013 Exceedances of the Short-Term Federal Standards

Pollutant	Site	Date	Concentration	Standard
Ozone	South Fayette	6/20/2013	0.078 ppm (8-hr.)	0.075 ppm
Ozone	Harrison	6/20/2013	0.076 ppm (8-hr.)	0.075 ppm
Ozone	Louropoovillo	6/21/2013	0.005 ppm (9.br.)	0.075 nnm
Ozone	Lawrenceville South Fayette	6/21/2013	0.095 ppm (8-hr.) 0.089 ppm (8-hr.)	0.075 ppm 0.075 ppm
	Harrison	6/21/2013	,	• •
Ozone	панізон	0/21/2013	0.085 ppm (8-hr.)	0.075 ppm
Ozone	Harrison	8/20/2013	0.076 ppm (8-hr.)	0.075 ppm
Ozone	Harrison	8/21/2013	0.077 ppm (8-hr.)	0.075 ppm
PM _{2.5}	Liberty	6 Days	$Max = 43.6 \mu g/m^3$	35 μg/m³
2.0	,	,	10	10
SO ₂	Liberty	9 Hours	Max = 99 ppb	75 ppb
SO ₂	Lawrenceville	2 Hours	Max = 100 ppb	75 ppb

2. Attainment of the Federal Standards

8-Hour Ozone

Allegheny County and the surrounding six counties of the Pittsburgh-Beaver Valley Area have been designated nonattainment for 8-hour ozone, based on 2001-2003 monitored data. In February, 2011 the EPA had issued in 40 CFR part 52, Approval and Promulgation of Air Quality Implementation Plans; Pennsylvania; Determination of Attainment for the Pittsburgh-Beaver Valley 8-Hour Ozone Nonattainment area (This is for the old standard of 0.08 ppm). The monitor at Harrison had the highest 3-year average of



0.082 ppm for 2010-2012 in the area. It remained the highest in Allegheny County for 2011-2013 at 0.080 ppm. Allegheny County is in violation of the new 8-hour ozone standard of 0.075 ppm for the past six 3-year periods.

<u>PM_{2.5}</u>

Allegheny County has been designated nonattainment for PM_{2.5} as part of a multi-county Pittsburgh-Beaver Valley Area, based on 2001-2003 monitored data. Additionally, a five-municipality Liberty-Clairton Area was designated nonattainment as a separate area within Allegheny County. Monitored results for 2011-2013 show levels of attainment (county-wide excluding the Liberty-Clairton Area) for both the annual standard of 12 μg/m³ and the 24-hour standard. The Liberty-Clairton Area is still in violation of the 24-hour standard and the new annual standard



The County is developing a State Implementation Plan (SIP) for the control of $PM_{2.5}$ in the Liberty-Clairton Area. Funding from the County's Clean Air Fund has been approved for use in this SIP development. The County will also assist the PA DEP in the development of the Pittsburgh-Beaver Valley $PM_{2.5}$ SIP.

<u>SO</u>2

The County had monitored attainment for $\underline{SO_2}$ for 10 consecutive years. EPA redesignated Allegheny County to attainment for SO_2 in 2004. However, the Liberty monitor is in nonattainment of the new 1-Hour NAAQS of 75 ppb. ACHD is in the process of developing a SIP for SO_2 .



Other Criteria

The County has monitored attainment for $\underline{PM_{10}}$ for 19 consecutive years. EPA redesignated Allegheny County to attainment for PM₁₀ in 2003.

For <u>1-hour ozone</u>, the County has monitored attainment for 16 consecutive years. EPA redesignated Allegheny County to attainment for the 1-hour ozone standard in 2001. EPA revoked this standard for Southwestern PA in 2005.

For <u>CO</u>, the County has monitored attainment for 26 consecutive years. EPA redesignated Allegheny County to attainment for CO in 2003.

For $\underline{NO_2}$, the County has monitored attainment for over 30 consecutive years and has been in attainment since promulgation of the standard.

For <u>Lead (Pb)</u>, the County has monitored attainment for over 25 consecutive years and has been in attainment since promulgation of the standard.

3. Air Monitoring Results

A. Ozone (O₃)

The federal standard for ozone is based on maximum 8-hour averages within each 8-hour block period within a calendar day. The 8-hour standard of 0.075 parts per million (ppm) must not be exceeded by the 3-year average of the 4th highest 8-hour concentrations. The ozone season for Allegheny County extends from April 1 through October 31. The South Fayette monitor runs during the ozone season only.

There were four exceedance days overall for 8-hour ozone in 2013. Two days included an exceedance at more than one monitor.

Based on predominant wind flow for Allegheny County, South Fayette is considered to represent incoming ozone levels, Lawrenceville represents ambient urban ozone levels, and Harrison represents outgoing ozone levels.

8-Hour Ozone Concentrations

Maximum 8-hour ozone concentrations and exceedance days are given below for 2013, with exceedance concentrations and days shown in red. 2012 values are shown in gray for comparison.

8-Hour Std. = 0.075 ppm*									
Site	2012 8-Hour Maximum (ppm)	2013 8-Hour Maximum (ppm)	2012 Exceedance Days	2013 Exceedance Days		2011-2013 8-Hour 3-Yr. Avg. of 4 th Max. (ppm)			
Harrison	0.094	0.085	16	4	0.082	0.080			
Lawrenceville	0.089	0.095	7	1	0.079	0.076			
South Fayette	0.085	0.089	6	2	0.078	0.074			

^{*} For comparison to the standards, values are truncated at 1/1000th ppm (e.g., 0.0816 truncates to 0.081 ppm). An exceedance day is one in which any 8-hour period has an average of greater than 0.075 ppm.

Below is a chart showing the 8-hour design values for the three Allegheny County Health Department sites since 1997.

0.105 0.100 0.095 Concentration (ppm) 0.090 0.085 8-Hour Standard 0.080 Harrison 0.075 Lawrenceville 0.070 South Fayette 0.065 EPA Standard (by rounding convention) 0.060 .08:10 D4 .00:02.0⁴ .01:03D4 .oz.oa.Dy 103:05 DV .04:06.DV 06:08 DY .07:09.D4 PO 11:80. ,10:12 DY

8-Hour Ozone Design Values, ACHD Sites, 1997 to 2013

1-Hour Ozone Concentrations

The 1-hour standard was revoked for the Pittsburgh-Beaver Valley Area in mid-2005. The former 1-hour standard of 0.12 ppm was not to be exceeded more than once a year, averaged over a 3-year period. 1-hour ozone maximums and exceedances are given in this report for comparative purposes.


Maximum 1-hour concentrations for ozone are given in the table that follows for 2013, with 2012 values shown in gray. "Expected" exceedance days are based on the 3-year average of the actual exceedance days per year, adjusted for missing data.

Former 1-Hour Std. = 0.12 ppm								
Site	2012 1-Hour Maximum (ppm)	2013 1-Hour Maximum (ppm)	2012 Exceedance Days	2013 Exceedance Days	2010-2012 Expected Exceedance Days	2011-2013 Expected Exceedance Days		
Lawrenceville	0.097	0.108	0	0	0.0	0.0		
Harrison	0.103	0.099	0	0	0.0	0.0		
South Fayette	0.093	0.095	0	0	0.0	0.0		

^{*} For comparison to the standards, values are rounded to the nearest 1/100th ppm (e.g., 0.126 rounds up to 0.13 ppm). An exceedance day is one in which any hour has a concentration of 0.125 ppm or greater. Concentrations are shown here in thousandths of ppm for detail.

Below is a chart showing ozone exceedance days, both 1-hour and 8-hour, for all Allegheny County sites over the period 1993-2013. Exceedance days represent days when at least one site exceeded the standard. 8-hour exceedance days are shown starting in 1997, when the 8-hour standard was promulgated.

Ozone Exceedance Days, 1993 - 2013



B. Particulate Matter - 2.5 microns or less (PM_{2.5})

PM_{2.5} Filter-Based Monitors, Annual

Federal Reference Method (FRM) filter-based PM_{2.5} monitors are used to determine attainment for an area. The annual federal standard for PM_{2.5} is $12.0 \mu g/m^3$ on an annual basis (3-year average).


Annual averages for 2013 are given in the table below, with 2012 averages shown in gray. 2013 annual and 3-year averages that exceeded the standard are shown in red.

Annual Std. = 12.0 μg/m³									
Site	2012 Average	2013 Average	2010-2012 3-Year Average	2011-2013 3-Year Average					
Liberty	14.3	12.0	14.8	13.4					
North Braddock	11.5	11.2	12.5	11.7					
Avalon	10.9	10.2	13.4	11.4					
Lawrenceville	10.1	9.8	11.1	10.3					
Harrison	10.5	9.6	11.7	10.6					
Clairton	9.4	9.4	10.9	9.8					
South Fayette	9.2	8.9	10.5	9.6					
North Park	8.6	8.7	9.4	8.8					


Note: The Avalon Filter-Based monitor started the third quarter of 2011. Avalon's 3-year average for 2010-2012 is an average of the $PM_{2.5}$ BAM data for 2010 and BAM data for the first two quarters of 2011 in addition to the Filter-Based monitor data for the last two quarters of 2011 and 2012. Avalon's 3-year average for 2011-2013 is an average of the $PM_{2.5}$ BAM data for the first two quarters of 2011 in addition to the Filter-Based monitor data for the last two quarters of 2011, 2012 and 2013.


2013 FRM annual averages are also shown on the map below. Sites that exceeded the standard are shown in red.

2013 $PM_{2.5}$ FRM Annual Averages by Site, in $\mu g/m^3$



Long-term trends for the $PM_{2.5}$ annual averages and the $PM_{2.5}$ annual design values are shown in the charts below.





PM_{2.5} Filter-Based Monitors, 24-Hour


The 24-hour standard for PM_{2.5} of 65 μ g/m³ on a 24-hour basis (3-year average of the 98th-percentile value) was revised in December 2006 to 35 μ g/m³.


The maximum 2013 24-hour concentrations and number of exceedance days are shown in the following table, with 2012 values shown in gray. Values for 98th-percentile values by year and by 3-year average are also shown. Exceedances in 2013 are shown in red.

	24-Hour Std. = 35 μg/m³									
Site	2012 24-Hour Max.	2013 24-Hour Max.	2012 24-Hour Exceed.		2012 98 th - Percentile Value	2013 98 th - Percentile Value	2010-2012 3-Year Avg. of 98 th - Percentile	2011-2013 3-Year Avg. of 98 th - Percentile		
Liberty	54.7	43.6	9	6	42.5	31.1	43.1	37.2		
Avalon	23.8	32.0	0	0	20.9	23.2	29.5	24.6		
North Braddock	33.2	29.8	0	0	26.8	26.1	32.6	28.9		
Harrison	23.6	28.7	0	0	20.7	24.2	28.2	24.9		
Lawrenceville	23.1	27.5	0	0	20.4	20.8	25.8	22.8		
South Fayette	22.9	27.4	0	0	18.1	23.5	25.7	24.1		
Clairton	20.6	18.8	0	0	19.2	17.1	25.9	22.2		
North Park	16.9	16.7	0	0	16.4	16.0	22.8	19.3		


Note: The Avalon Filter-Based monitor started the third quarter of 2011. Avalon's 3-year average for 2010-2012 is an average of the $PM_{2.5}$ BAM data for 2010 and BAM data for the first two quarters of 2011 in addition to the Filter-Based monitor data for the last two quarters of 2011 and 2012. Avalon's 3-year average for 2011-2013 is an average of the $PM_{2.5}$ BAM data for the first two quarters of 2011 in addition to the Filter-Based monitor data for the last two quarters of 2011, 2012 and 2013.

Long-term trends for the PM_{2.5} 24-hour 98th-percentile by year and then design values by 3-year period are shown in the charts that follow.





PM_{2.5} 24-Hour Design Values by 3-Year Period, 2000 to 2013



PM_{2.5} Continuous Monitors

ACHD's two continuous PM_{2.5} monitors are used mainly for AQI reporting. These monitors are not used formally in determining attainment of the federal standards, but they do provide estimates of the FRM filter-based values. Since 2007, ACHD reports both the raw (as measured from the monitor) and corrected (correlated to the FRM at the same site) continuous values. All data reported prior to 2007 is considered raw.

	Annual S	itd. = 12.0	μg/m³ [FRM]	24-Hour	our Std. = 35 μg/m³ [FRM]		
Site	2012 RAW Average	2013 RAW Average	2013 CORRECTED Average	2012 RAW 24-Hour Maximum	2013 RAW 24-Hour Maximum	2013 CORRECTED 24-Hour Maximum	
Lawrenceville	9.1	8.9	10.3	26.5	25.2	24.4	
Liberty	13.7	11.0	11.8	42.8	31.3	33.7	

PM_{2.5} Speciation Monitors


Physically, $PM_{2.5}$ is any particle that is 2.5 microns or less in diameter. Chemically, $PM_{2.5}$ is composed of many different chemical compounds. In addition to the FRM and continuous $PM_{2.5}$ monitors, the County operates two $PM_{2.5}$ speciation monitors that are used to measure specific components, or species, of the total collected sample. In the Pittsburgh metro area, the most dominant $PM_{2.5}$ species are sulfates and organic carbon compounds.

The averages of the major species concentrations are given below. Crustal component is made up of fine soil or minute dust particles. Additional material collected by the monitors and not shown below can include particle-bound water, trace amounts of metals and non-metals, and unspeciated material.

Annual averages for major species at Lawrenceville and Liberty for 2013 are given below in µg/m³.

Site	Nitrate	Sulfate	Ammonium	Organic Carbon	Elemental Carbon	Crustal Component
Lawrenceville	1.08	2.33	0.89	2.08	0.69	0.56
Liberty	1.16	2.88	1.29	2.61	1.27	0.45

2013 major species averages are also shown in the column chart below.



C. Particulate Matter - 10 microns or less (PM₁₀)

PM₁₀ is sampled using both intermittent filter-based and continuous monitors throughout the County. Both types of PM₁₀ monitors can be used for comparison to the federal standards of 150 μ g/m³ (24-hour). The 24-hour standard can be exceeded an average of once per year over a 3-year period. The PM₁₀ annual standard of 50 μ g/m³ was revoked by EPA in December 2006; 2013 annual averages have been given below for comparative purposes.

2013 maximums and averages are shown in the table below, with 2012 values shown in gray. There were no exceedances in 2013.

PM₁₀ Filter-Based Monitors


	24-Hour Std	. = 150 μg/m³	Former Annual	I Std. = 50 μg/m³	
Site	2012 24-Hour Maximum	2013 24-Hour Maximum	2012 Average	2013 Average	
Liberty	73	59	23.9	18.6	
North Braddock	63	55	24.5	22.4	
Avalon	37	36	19.3	17.7	
Manchester	32	35	18.4	16.3	
Clairton	34	28	16.2	14.7	
South Fayette	28	28	14.4	12.6	

PM₁₀ Continuous Monitors

	24-Hour Std	l. = 150 μg/m³	Former Annual	Std. = 50 µg/m³	
Site	2012 24-Hour Maximum	2013 24-Hour Maximum	2012 Average	2013 Average	
Lincoln	84	76	27.3	22.3	
North Braddock	63	70	23.2	24.0	
Glassport	91	60	20.0	16.3	
Liberty	71	49	20.5	16.2	
Flag Plaza	59	44	19.4	16.5	
Monroeville	43	33	16.1	14.2	

Note: North Braddock and Monroeville PM₁₀ Continuous Monitors became official the start of 2011.

Below is a chart showing PM_{10} 24-hour exceedances for the period 1993-2013. Continuous monitors began operation after 1992. For sites with both filter-based and continuous monitors, data for only the filter-based monitors are shown.



PM₁₀ 24-Hour Exceedances, 1993-2013

D. Sulfur Dioxide (SO₂)


Sulfur dioxide is monitored at four sites in the County, mostly in industrial areas. The South Fayette monitor is used as a background monitor, providing a measurement of SO_2 entering Allegheny County from the southwest. The former primary federal standards were 0.14 ppm (24-hour average) and 0.03 ppm (annually); the new 1-hour primary federal standard of 75 ppb was started in 2010. To attain this standard, the 3-year average of the 99^{th} percentile of the daily maximum 1-hour average at each monitor must not exceed 75 ppb. Maximums and averages for 2013 are shown in the table below, with 2012 values shown in gray. Exceedances in 2013 are shown in red. The NCore trace gas analyzer for SO_2 at Lawrenceville started operation in 2010 and Stowe was discontinued in 2011.

	Former 24-Hour	Std. = 0.14 ppm	Former Annual Std. = 0.03 ppm		
Site	2012 2013 24-Hour 24-Hour Maximum Maximum		2012 Average	2013 Average	
Liberty	0.039	0.029	0.007	0.004	
Lawrenceville	0.007	0.013	0.002	0.001	
Avalon	0.013	0.011	0.002	0.002	
South Fayette	0.010	0.007	0.001	0.001	

	1-Hour Std. = 75 ppb							
Site	2012 1-Hour Maximum	2013 1-Hour Maximum	2010-2012 99 th percentile	2011-2013 99 th percentile	2013 Exceedances			
Liberty	199	99	141	117	9			
Avalon	52	75	45	40	0			
Lawrenceville	28	100	27	26	2			
South Fayette	54	55	29	22	0			


 SO_2 24-hour exceedances are shown on the following page for 1993-2013. The former 24-hour standard can be exceeded once per year. Glassport was the last site to exceed the 24-hour standard in 1999.

Sulfur Dioxide 24-Hour Exceedances, 1993-2013



SO₂ annual average trends are shown below for 1993-2013.

Sulfur Dioxide Annual Averages, 1993-2013



E. Carbon Monoxide (CO)


The County operates three carbon monoxide (CO) monitors; two in the Downtown Pittsburgh area. The NCore trace gas analyzer for CO at Lawrenceville started operation in 2010. The federal standards for CO are 35 ppm on an hourly basis and 9 ppm on an 8-hour average basis. Maximums for 2013 are shown in the table below, with 2012 values shown in gray.

	1-Hour Sto	I. = 35 ppm	8-Hour Std. = 9 ppm		
Site	2012 1-Hour Maximum	2013 1-Hour Maximum	2012 8-Hour Maximum	2013 8-Hour Maximum	
Downtown*	4.5	2.2	2.7	1.6	
Lawrenceville	2.9	2.1	1.6	1.3	
Flag Plaza	4.6	1.7	2.5	1.4	

^{*} Note: The Downtown site was formerly referred to as the "Courthouse."

Carbon monoxide maximum trends are shown below for 1993-2013. The County has not exceeded the 8-hour standard since 1987.

Carbon Monoxide 1-Hour and 8-Hour Maximum Trends, 1993-2013




F. Nitrogen Dioxide (NO₂)

Nitrogen oxides are monitored at two sites in the County. Nitrogen dioxide (NO_2) is calculated each hour by subtracting nitrogen oxide (NO_1) from the total nitrogen oxides (NO_2) concentration. Starting in 2010, the standard for NO_2 is now 0.053 ppm (53 ppb) on an annual average basis. A new 1-hour federal standard 100 ppb was started in 2010. To attain this standard, the 3-year average of the 98^{th} percentile of the daily maximum 1-hour average at each monitor must not exceed 100 ppb. 2013 averages are shown in the table below, with 2012 values shown in gray.

	Annual Std. = 53 ppb		1-Hour Std. = 100 ppb			
Site	2012 Average	2013 Average	2012 1-Hour Maximum	2013 1-Hour Maximum	2010-2012 98 th percentile	2011-2013 98 th percentile
Lawrenceville	12	10	47	44	44	41
Harrison	7	7	50	75	44	39

Long-term trends for Lawrenceville NO₂ annual averages are shown below for 1993-2013.

Lawrenceville NO₂ Annual Averages, 1993-2013



G. Total Suspended Particulates (TSP)


Federal standards for total suspended particulates (TSP) were replaced by those for PM₁₀ in 1987. TSP is measured at one site in the County for the analysis of lead and to examine long-term trends. The former federal standards for TSP are 260 μ g/m³ on a 24-hour basis (maximum) and 75 μ g/m³ annually (geometric mean).

For 2009 and previous years, the TSP vales are calculated at standard conditions, however 2010 and future values will be calculated at local conditions. 2013 maximums and geometric means are shown in the table below, with 2012 values shown in gray. The Avalon monitor was moved to Lawrenceville the second quarter of 2011.


	Former 24-Hour Std. = 260 µg/m³		Former Annual Std. = 75 μg/m ²	
Site	2012 24-Hour Maximum	2013 24-Hour Maximum	2012 Geometric Mean	2013 Geometric Mean
Lawrenceville	51	63	25.6	26.2

Below is a chart showing 1993-2013 trends for annual geometric mean TSP. Braddock last exceeded the former annual standard in 1996.

TSP Annual Geometric Mean Trends, 1993-2013



Below is a chart showing exceedances the former 24-hour TSP standard for the period 1993-2013.



TSP 24-Hour Exceedances [of Former Standard], 1993-2013


Because the former TSP standards were replaced by the PM₁₀ standards, exceedances of the former standard do not constitute violations.


H. Lead (Pb)

Lead is analyzed at the laboratory from the three TSP filter sites in the network. The federal standard was 1.5 μ g/m³ on a quarterly average basis; however in 2009 the federal standard has changed to 0.15 μ g/m³ on a 3-month rolling average basis at local conditions. 2013 3-month rolling average maximums are shown in the table below, with 2012 3-month rolling average maximums shown in gray. Both Bridgeville and Natrona started operation in 2010. The Avalon monitor was moved to Lawrenceville the second quarter of 2011.

	3-Month Average Std. = 0.15 μg/m³				
Site	2012 3-Month Average Maximum	2013 3-Month Average Maximum			
Natrona	0.041	0.022			
Bridgeville	0.022	0.028			
Lawrenceville	0.008	0.006			

Below is a chart showing 1993-2013 trends of the quarterly maximum lead concentration per year. Several sites have monitored lead since 1986; the maximum concentration from all sites is shown for each given year. 2008 and prior years are quarterly maximums, while 2009 and future years are maximum 3-month averages.






I. Hydrogen Sulfide (H₂S)

There are no federal standards for hydrogen sulfide. However, PA state standards for protection against odor nuisances are 0.1 ppm on a 1-hour basis and 0.005 ppm on a 24-hour average basis.

Hydrogen sulfide 1-hour concentrations for 2013 are given in the table below, with 2012 values shown in gray. 2013 1-hour concentrations that exceeded the standard are shown in red. Long-term exceedances for 1993-2013 are also given in the chart below. Liberty exceeded the 1-hour PA standard in 2013. The West Allegheny monitor started operation in May 2009.

	1-Hour PA Standard = 0.1 ppm					
Site	2012 1-Hour Maximum	2013 1-Hour Maximum	2012 Exceedances	2013 Exceedances		
Liberty	0.057	0.109	0	1		
Avalon	0.018	0.013	0	0		
West Allegheny	0.004	0.004	0	0		


Hydrogen Sulfide 1-Hour Exceedances, 1993-2013



Hydrogen sulfide 24-hour concentrations and exceedances for 2013 are next given in the following table, with 2012 values shown in gray. Long-term exceedances for 1993-2013 are also given in the chart below. Exceedances for 2013 are shown in red. Each exceedance constitutes a violation of the state H_2S standards.

	24-Hour PA Standard = 0.005 ppm						
Site	2012 24-Hour Maximum	2013 24-Hour Maximum	2012 Exceedances	2013 Exceedances			
Liberty	0.018	0.021	65	28			
Avalon	0.004	0.004	0	0			
West Allegheny	0.003	0.002	0	0			

Hydrogen Sulfide 24-Hour Exceedances, 1993-2013



J. Dustfall

Dustfall (or total settled particulates) is more of a nuisance than a health hazard, in that the particles are too large to be inhaled into the respiratory system.

PA state standards for protection against dust nuisances are 23 tons/mile²/month on an annual average basis and 43 tons/mile²/month on a monthly basis.

Annual averages, monthly maximums, and exceedances for 2013 are shown in the table below, with 2012 values shown in gray. Exceedances for 2013 are shown in red. Each exceedance constitutes a violation of the state dustfall standards.

Only Collier, Natrona 8, and Natrona 9 dustfall collectors are in operation for 2009 and future years. North Braddock, Neville, Neville 2 and Forward dustfall collectors were discontinued year end 2008.

	Annual PA Standard = 23 tons/mile ² /month		Monthly PA Standard = 43 tons/mile²/month		Monthly Exceedances	
Site	2012 Average	2013 Average	2012 Monthly Maximum	2013 Monthly Maximum	2012 Exceedances	2013 Exceedances
Natrona 9	25	24	34	49	0	1
Natrona 8	12	11	25	21	0	0
Collier	10	10	18	17	0	0

K. Benzo(a)pyrene (B(a)P)

Benzo(a)pyrene, or B(a)P, is a known carcinogen. There are no federal or state ambient standards for B(a)P.

24-hour maximums and annual averages for B(a)P in 2013 are shown below, with 2012 values shown in gray. Liberty typically shows the highest concentrations of B(a)P in Allegheny County.

No Ambient Standard Concentrations given in ng/m³*						
Liberty	64	52	15	7		
Avalon	2	2	0	0		
South Fayette	1	1	0	0		

Note: Nanograms/cubic meter (ng/m³) represents a smaller quantity than micrograms/cubic meter (μ g/m³). There are 1000 nanograms in a microgram. Concentrations for B(a)P may therefore appear much greater than those for other compounds.

L. Hazardous Air Pollutants (HAPs)

Hazardous Air Pollutants (HAPs), or air toxics, are a group of 187 EPA-classified pollutants that can cause cancer or other serious health effects or adverse environmental and ecological effects. HAPs are sampled by various methods at several locations in the county. HAPs are not criteria pollutants, and there are no federal ambient standards for these compounds.

HAPs monitoring methods and locations are summarized below:

Canister Toxics

SUMA canisters are in operation at Flag Plaza, Avalon, Stowe, and South Fayette. Canister concentrations represent 24-hour samples, collected every six days, which are analyzed at an out-of-County lab (Maryland). Canister toxics monitoring at Flag Plaza has been in operation for several years, while monitoring at Avalon, Stowe, and South Fayette is part of an ACHD in-house air toxics study started in 2006 and discontinued year end 2007.

Cartridge Toxics

Cartridge (carbonyl) monitoring is conducted at all of the canister sites at every-six-day intervals, and samples are analyzed at an out-of-County lab (Philadelphia). Cartridge toxics monitoring at Flag Plaza has been in operation for several years, while monitoring at Avalon, Stowe, and South Fayette is part of an ACHD in-house air toxics study started in 2006 and discontinued year end 2007.

Open Path Toxics

Open path UV-DOAS toxics monitoring began Downtown (at Flag Plaza) and at Neville Island (at West View Water) in 2006. This method continuously measures several HAP compounds over a long distance. Measurements discontinued year end 2008. Refer to the 2008 Air Quality Annual Report for Open path UV-DOAS toxics data.

Continuous Benzene

The HAP compound benzene is measured continuously at Liberty. However, the benzene monitor was inoperative in most of 2006 and 2007.

Results from the various techniques and sites are given below and on the following pages. Several additional compounds that are analyzed simultaneously with the canister and cartridge samples, but are not classified as HAPs, are also provided.

Flag Plaza - Canister and Cartridge

Annual averages and 24-hour maximums for Flag Plaza canister and cartridge HAPs in 2013 are shown below, with 2012 values shown in gray. Several years of toxics data are available for Flag Plaza, and multi-year trends for selected compounds may be included in future reports.

Notes: Concentrations are given below in units of parts-per-billion (ppb) by volume; one ppb is equal to 1/1000th parts-per-million (ppm) by volume.

Flag Plaz	a			
НАР	2012 Average (ppb)	2012 24-Hour Maximum (ppb)	2013 Average (ppb)	2013 24-Hour Maximum (ppb)
Carbon disulfide				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) †	0.08	0.15	0.32	1.52
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	0.02	0.02	0.02	0.04
Ethyl acetate [†]				
1,3-Butadiene	0.05	0.18	0.03	0.11
Hexane	0.14	0.39	0.10	0.67
Heptane [†]	0.10	0.29	0.05	0.10
Cyclohexane [†]	0.06	0.22	0.04	0.11
Isopropyl alcohol [†]				
Methyl tert-butyl ether (MTBE, 2-methoxy-2-methyl- Propane)	0.00	0.00	0.00	0.00
Acetone* [†]	1.59	8.57	1.21	3.33
Methyl ethyl ketone (MEK)*	0.29	1.05	0.22	0.69
Methyl butyl ketone (2-Hexanone) †				
Methyl isobutyl ketone (MIK)*	0.02	0.13	0.01	0.11
Chloromethane	0.59	0.87	0.65	0.78
Methylene chloride (Dichloromethane)	0.15	1.04	0.11	0.98
Chloroform	0.02	0.04	0.02	0.06
Carbon tetrachloride	0.08	0.12	0.09	0.12
Bromoform (Tribromomethane)				
Trichlorofluoromethane (Freon 11) †	0.27	0.38	0.24	0.30
Chloroethane				
1,1-Dichloroethane				
1,1,1-Trichloroethane (Methyl chloroform)	0.01	0.04	0.01	0.02
1,2-Dichloroethane (Ethylene dichloride)	0.01	0.02	0.01	0.14
Tetrachloroethylene	0.03	0.08	0.02	0.10
1,1,2,2-Tetrachloroethane	0.00	0.00	0.00	0.00
Bromomethane				
1,1,2-Trichloroethane				
Dichlorodifluoromethane (Freon 12) †	0.50	0.68	0.49	0.80
Trichloroethene (-ethylene, TCE)	0.00	0.03	0.00	0.01
1,1-Dichloroethylene (-ethene, DCE, Vinylidene chloride)				

Flag Plaz	za			
НАР	2012 Average (ppb)	2012 24-Hour Maximum (ppb)	2013 Average (ppb)	2013 24-Hour Maximum (ppb)
Bromodichloromethane [†]				
1,2-Dichloropropane	0.00	0.00	0.00	0.01
trans-1,3-Dichloro-1-propene (-propylene)	0.00	0.01	0.00	0.01
cis-1,3-Dichloro-1-propene (-propylene)	0.00	0.01	0.00	0.02
Dibrochloromethane [†]				
trans-1,2-Dichloroethene [†]				
cis-1,2-Dichloroethene [†]				
1,2-Dibromoethane (Ethylene dibromide)	0.00	0.00	0.00	0.00
Hexachloro-1,3-butadiene (Hexachlorobutadiene)				
Chloroethene (Vinyl chloride)	0.00	0.03	0.00	0.04
m & p- Xylene	0.13	0.44	0.07	0.23
Benzene	0.33	1.47	0.27	0.74
Toluene	0.43	1.32	0.26	0.82
Ethylbenzene	0.05	0.21	0.03	0.07
o-Xylene	0.05	0.21	0.03	0.08
1,3,5-Trimethylbenzene [†]	0.01	0.04	0.00	0.02
1,2,4-Trimethylbenzene [†]	0.03	0.15	0.03	0.08
1-Ethyl-4-methylbenzene (4-Ethyltoluene) †	0.03	0.12	0.01	0.03
Styrene	0.03	0.19	0.02	0.13
Chlorobenzene	0.00	0.16	0.00	0.01
1,2-Dichlorobenzene [†]				
1,3-Dichlorobenzene [†]				
1,4-Dichlorobenzene	0.01	0.09	0.00	0.02
Benzyl chloride				
1,2,4-Trichlorobenzene				
Tetrahydrofuran [†]	0.02	0.05	0.02	0.06
Acetaldehyde*	0.90	3.92	0.69	2.12
Acrolein*	0.02	0.15	0.03	0.15
Formaldehyde*	1.87	5.32	1.49	4.72
Propionaldehyde*	0.16	0.42	0.12	0.37
Acrylonitrile				
Acetonitrile				

^{*}Value measured by cartridge (carbonyl) method. All other values are as measured by SUMA canister.

†Compound is not an official EPA-classified HAP.


Liberty Borough Benzene

Additionally, benzene is measured continuously at Liberty. The annual average and 24-hour maximum for Liberty benzene in 2013 are shown below, with 2012 values shown in gray.

НАР	2012 Average (ppb)	2012 24-Hour Maximum (ppb)	2013 Average (ppb)	2013 24-Hour Maximum (ppb)
Benzene	0.9	12.1	0.2	5.7

A chart showing Liberty benzene annual averages for 1993-2013 is shown below. The monitor began operation in 1991 and was not operational in 1996, most of 2006, 2007, and portions of 2011, 2012 and 2013.

Liberty Benzene Annual Averages, 1993-2013



4. Short-Term Exceedances

Exceedances of the federal short-term primary standards are listed below for the years 2001 through 2013 for each standard. Exceedances are given by year, site, number of exceedances, and maximum concentration.

Ctoro don d	Vaan	Cita	Number of	Maximum
Standard	Year	Site	Exceedances	Concentration
24-Hour PM _{2.5}	2001	Liberty	5	99 μg/m³
65 μg/m³	2002	Liberty	1	70 μg/m³
	2003	Liberty	9	102 μg/m³
	2004	Liberty	7	94 μg/m³
	2005	Liberty	10	100 μg/m³
	2006	Liberty	3	101 µg/m³
05 / 2	0007	1.11	40	04.7 / 2
35 μg/m³	2007	Liberty	46	61.7 μg/m³
	2007	Lawrenceville	12	50.7 μg/m³
	2007	N. Braddock	6	50.0 μg/m ³
	2007	Harrison	5	51.8 μg/m³
	2007	South Fayette	4	43.6 μg/m³
	2007	Moon	1	40.7 μg/m³
	2007	Clairton	1	40.4 μg/m ³
	2007	North Park	1	39.6 μg/m³
	2008	Liberty	31	70.8 μg/m³
	2008	N. Braddock	4	38.4 μg/m³
	2008	Harrison	2	41.3 μg/m³
	2008	Clairton	1	40.6 μg/m³
	2008	Lawrenceville	1	39.7 μg/m³
	0000		4.0	00.4
	2009	Liberty	12	92.1 μg/m³
	2009	Harrison	1	43.5 μg/m³
	2010	Liberty	25	69.9 µg/m³
	2010	N. Braddock	3	40.6 μg/m³
	2010	Lawrenceville	2	41.5 μg/m³
	2010	Harrison	2	39.7 μg/m ³
	2010	Clairton	1	37.0 µg/m³
	2010	Ciairton	I	37.0 μg/πι ^ο
	2011	Liberty	10	59.0 μg/m³
	2011	Avalon	1	35.6 µg/m³
	2011	N. Braddock	1	35.5 μg/m ³
			•	20.0 mg/····
	2012	Liberty	9	54.7 μg/m³
	2013	Liberty	6	43.6 µg/m³

Standard	Year	Site	Number of Exceedances	Maximum Concentration
8-Hour Ozone	2001	Harrison	8	0.101 ppm
0.08 ppm	2001	Lawrenceville	4	0.095 ppm
о.оо рр	2001	South Fayette	7	0.098 ppm
		- countrayone		отосо рртт
	2002	Harrison	14	0.105 ppm
	2002	Lawrenceville	16	0.107 ppm
	2002	South Fayette	17	0.110 ppm
	2222			
	2003	Harrison	2	0.121 ppm
	2003	Lawrenceville	5	0.122 ppm
	2003	South Fayette	4	0.111 ppm
	2004	South Fayette	1	0.089 ppm
	2004	Oddin rayelle		0.005 ppm
	2005	Harrison	6	0.107 ppm
	2005	Lawrenceville	1	0.085 ppm
	2005	South Fayette	4	0.103 ppm
	2006	Harrison	4	0.093 ppm
	2006	Lawrenceville	2	0.086 ppm
	2006	South Fayette	1	0.087 ppm
	2007	Harrison	4	0.099 ppm
	2007	Lawrenceville	3	0.092 ppm
	2007	South Fayette	1	0.087 ppm
0.075 ppm	2008	Harrison	10	0.091 ppm
0.075 ppiii	2008	Lawrenceville	7	0.084 ppm
	2008	South Fayette	3	0.079 ppm
			_	
	2009	Harrison	6	0.084 ppm
	2009	Lawrenceville	1	0.077 ppm
	2010	Harrison	6	0.105 ppm
	2010	Lawrenceville	7	0.087 ppm
	2010	South Fayette	5	0.089 ppm
	2011	Harrison	10	0.085 ppm
	2011	Lawrenceville	3	0.005 ppm
	2011	South Fayette	6	0.095 ppm
	2011	South Fayette	U	υ.υσο μριτι
	2012	Harrison	16	0.094 ppm
	2012	Lawrenceville	7	0.089 ppm
	2012	South Fayette	6	0.085 ppm

2013 AIR QUALITY ANNUAL REPORT

Standard	Year	Site	Number of Exceedances	Maximum Concentration
8-Hour Ozone	2013	Harrison	4	0.085 ppm
0.075 ppm	2013	Lawrenceville	1	0.095 ppm
	2013	South Fayette	2	0.089 ppm
1-Hour Ozone	2003	Lawrenceville	1	0.130 ppm
0.12 ppm	2003	South Fayette	1	0.132 ppm
24-Hour PM ₁₀	2004	Lincoln	1	162 μg/m³
150 µg/m³	2005	Lincoln	1	157 μg/m³
, 0				
1-Hour SO ₂	2010	Liberty	34	215 ppb
75 ppb	2010	South Fayette	1	108 ppb
	2010	Avalon	2	97 ppb
	2010	Stowe Township	3	93 ppb
	2011	Liberty	45	450 ppb
	2012	Liberty	43	199 ppb
	2215			
	2013	Liberty	9	99 ppb
	2013	Lawrenceville	2	100 ppb

5. Air Quality Index

The Air Quality Index (AQI) is a method of quantifying air quality on any given day according to the highest measurements. EPA's AQI scale is shown below:

Air Quality Index (AQI) Values	Levels of Health Concern	Colors
When the AQI is in this range:	air quality conditions are:	as symbolized by this color:
0 to 50	Good	Green
51 to 100	Moderate	Yellow
101 to 150	Unhealthy for Sensitive Groups	Orange
151 to 200	Unhealthy	Red
201 to 300	Very Unhealthy	Purple
301 to 500	Hazardous	Maroon

The Pennsylvania Department of Environmental Protection (PA DEP) forecasts daily AQI levels for $PM_{2.5}$ (year-round) and for ozone (April through Oct.) for Southwestern Pennsylvania.

Allegheny County AQI levels according to actual monitored results for 2001-2013 are shown in the table below, by number of days.

Year	Good Days	Moderate Days	Unhealthy for Sensitive Groups Days	Unhealthy Days
2001	123	192	45	5
2002	144	172	44	5
2003	156	172	28	9
2004	141	182	36	7
2005	136	182	36	11
2006	156	173	32	4
2007	136	174	47	8
2008	187	157	20	2
2009	214	136	14	1
2010	146	163	48	8

Year	Good Days	Moderate Days	Unhealthy for Sensitive Groups Days	Unhealthy Days
2011	176	156	30	3
2012	136	183 46		1
2013	175	175	15	0

The Unhealthy for Sensitive Groups range represents an exceedance level for criteria pollutants.

In Allegheny County, unhealthy days can occur during different air quality scenarios. Elevated $PM_{2.5}$ days can be either widespread or localized and can also coexist with elevated ozone concentrations in summer months.

Days in the unhealthy ranges are shown below for 2013, broken down by air quality scenario.

2013 Unhealthy Scenarios	Unhealthy for Sensitive Groups Days	Unhealthy Days
Elevated PM _{2.5} - Liberty Only	4	0
Elevated PM _{2.5} - Widespread	1	0
Elevated Sulfur Dioxide Only	5	0
Elevated Ozone Only	4	0
Elevated PM _{2.5} with Elevated Sulfur Dioxide	1	0
Elevated PM _{2.5} with Elevated Ozone	0	0
Elevated Ozone with Elevated Sulfur Dioxide	0	0
Elevated PM _{2.5} , Elevated Ozone and Elevated Sulfur Dioxide	0	0

6. Pollutants, Sources, and Health Effects

EPA promulgated the National Ambient Air Quality Standards (NAAQS) for six criteria pollutants. In addition, the State of Pennsylvania has also adopted standards for hydrogen sulfide (H_2S) and dustfall (total settled particulate matter). The Clean Air Act also defines Hazardous Air Pollutants (HAPs) but does not address specific ambient limits for these compounds.

Pollutant	Primary Sources	Health Effects	
	Criteria Pollutants		
Ozone – O ₃ (colorless gas)	Formed in hot, sunny conditions from vehicle, commercial, and industrial emissions	Respiratory problems; eye, nose, and throat irritation	
Particulate Matter – PM (solid or liquid particles)	Coke plants, steel mills, power plants, road dust, vehicles	Respiratory problems; small particles may also aggravate heart conditions	
Sulfur Dioxide – SO ₂ (colorless gas)	Power plants, coke plants	Respiratory problems	
Carbon Monoxide – CO (colorless, odorless gas)	Motor vehicles, especially congested areas	Heart or lung disease; headache; fatigue; impaired reflexes and alertness	
Nitrogen Dioxide – NO ₂ (colorless, odorless gas)	Power and industrial plants, motor vehicles	Respiratory problems; eye irritation	
Lead – Pb (in particulates)	Incinerators, glass making, metallurgical facilities	Headache; fatigue; sleep and digestive disorders	

Pollutant	Primary Sources	Health Effects	
	<u>Other</u>		
Hydrogen Sulfide – H ₂ S (colorless, pungent gas)	Coke plants, waste treatment plants	Respiratory problems; eye irritation; malodorous	
HAPs (often carcinogens)	Various, including motor vehicles, chemical and power plants, steel mills, dry cleaners, print shops	Can be carcinogenic; can cause birth defects	
Benzo(a)pyrene – B(a)P	Coke plants	Carcinogen	

7. Air Monitoring Network

Below is a table of monitor sites according to pollutant types, current through 2013. Meteorological monitors (wind and temperature) are also included.

	SO_2	СО	NO ₂	O_3	PM ₁₀	PM _{2.5}	TSP/Pb	H_2S	HAPs	Dustfall	Met
Downtown		C									
Flag Plaza		C			С				I (6), I (6)		
Manchester					I (6)						
Lawrenceville	C(T)	C(T)	С	C	C	C, I(1) C, I(6) SPC(3)	I (6) I (6)		I		C
North Park						I (6)					
Monroeville					C						
Avalon	C				I (6)	C , I (3)		C			C
Bridgeville							I (6)				
Harrison			C	C		I (3)					
Natrona							I (6)			I, I	
N. Braddock					C, I(6) I(6)	I (3)					
Liberty	C				C, I(3) I(6)	C, I(1) I(6) SPC(6)		C	C		C
Glassport					С						
Lincoln					С						
Clairton					I (6)	I (6)					
South Fayette	С			C(S)	I (6)	I (3)					C
Collier										I	
West Allegheny								С			
<u>Total</u>	C = 4	C = 3	C = 2	C =3	C = 7 I = 8	C = 4 $I = 10$ $SPC = 2$	I = 4	C = 3	C = 1 I = 3	I = 3	C = 4

 $\label{eq:KEY} \textbf{KEY} \qquad \textbf{C} = \textbf{Continuous; I} = \textbf{Intermittent or Filter-Based}$

(1), (3), or (6) = Sampling Frequency [for example, (3) means every third day]

 $SPC = Speciation; (S) = Seasonal\ Continuous\ Monitor;\ (T) = Trace\ Level\ Monitor$



Additional Information

For more information concerning Allegheny County air quality data, contact the ACHD Air Quality Program, Planning and Data Analysis Section, at 412-578-8120, or at svozar@achd.net.

For information concerning Pennsylvania Air Quality, visit: www.dep.state.pa.us/dep/deputate/airwaste/ag/default.htm.

For information about national air quality, visit EPA's website: www.epa.gov.

"This project has been funded wholly or in part by the United States Environmental Protection Agency under assistance agreement 3041-14 to Allegheny County Health Department. The contents of this document do not necessarily reflect the views and policies of the Environmental Protection Agency, nor does the **EPA** endorse trade names or recommend the use of commercial products mentioned in this document."

This report was compiled by the following ACHD staff:

Shaun Vozar Allason Holt



Allegheny County Health Department
Air Quality Program
301 39th St., Bldg. 7
Pittsburgh, PA 15201
412-687-ACHD
www.achd.net

Allegheny County Health Department Karen Hacker, M.D., M.P.H., Director

Bureau of Environment Health James Thompson, Deputy Director

> Air Quality Program Jayme Graham, Manager