2018 Air Quality Annual Report







Allegheny County Health Department Air Quality Program

301 39th St., Bldg. #7 Pittsburgh, PA 15201

Annual Report for 2018 with 1998-2018 Trends



Pictured on the front cover...

A weather balloon with radiosonde device measuring atmospheric parameters at the Clairton sodar/RASS site. A close-up of the radiosonde is on the bottom left, along with the signal antenna on the bottom right. This equipment is being used by ACHD staff to gain further understanding of the meteorological conditions that affect pollutants in the Monongahela River Valley.

Below is a map of all monitoring locations. Downtown Pittsburgh comprises the Flag Plaza site.



TABLE OF CONTENTS

<u>Pr</u>	<u>eface.</u>		<u>. i</u>
1.	Execu	utive Summary	1
2.	<u>Attai</u>	nment of the Federal Standards	3
3.	Air M	Ionitoring Results	
	Α.	Ozone (O ₃)	5
	В.	Particulate Matter - 2.5 microns or less (PM _{2.5})	8
	C.	Particulate Matter - 10 microns or less (PM ₁₀)1	<u>.5</u>
	D.	Sulfur Dioxide (SO ₂)1	.7
	E.	Carbon Monoxide (CO)2	<u>20</u>
	F.	Nitrogen Dioxide (NO ₂)2	<u>'1</u>
	G.	Lead (Pb)2	<u>23</u>
	н.	Hydrogen Sulfide (H ₂ S)2	<u>25</u>
	l.	Dustfall2	
	J.	Benzo(a)pyrene (B(a)P)2	<u> 28</u>
	K.	Hazardous Air Pollutants (HAPs)2	<u> 29</u>
1	Short	:-Term Exceedances3	13
ᅻ.	311010	FIGHT Exceedances	<u> </u>
5.	<u>Air Q</u>	uality Index3	<u> 86</u>
6.	<u>Pollu</u>	tants, Sources, and Health Effects3	18
7.	Air M	lonitoring Network4	10
		tional Information4	



Preface

This report reflects air quality as sampled and validated by the Allegheny County Health Department (ACHD) through the calendar year of 2018.

For comparison to previous data, this report also provides 2017 data and twenty-year trends. For standards that require consecutive years' averages, multi-year averages are also given. Note that multi-year design values will be calculated as specified by the U.S. Environmental Protection Agency (EPA); if the standard requires calculations on a quarterly basis, such as with PM_{2.5}, the multi-year average will be calculated as such.

Exceedances are given for pollutants. An *exceedance* is a concentration that exceeds a standard but does not necessarily constitute a *violation* of a standard. For some standards, a violation is a culmination of several exceedances over a multi-year period. The standards for each pollutant are described in detail in the pollutant sections.

Official validated concentrations are submitted to EPA's Air Quality System (AQS) on a quarterly basis, and selected parameters are available at the AirData website: www.epa.gov/airdata/. Allegheny County 2018 air quality data was submitted for certification in mid-2019.

Unofficial data for ozone and PM_{2.5} is reported to EPA's AIRNow on an hourly basis and is available at the AIRNow website: www.airnow.gov/.

Unofficial Air Quality Index (AQI) levels are also available each hour for all continuously monitored pollutants via ACHD phone recording at 412-578-8179 and at the Allegheny County website: https://alleghenycounty.us/hd/AQIReport.XLS.



1. Executive Summary

The County recorded eight exceedance days for 8-hour ozone in 2018, with four days above 0.075 parts per million (ppm). The ACHD monitors showed nonattainment of the 8-hour standard of 0.070 ppm for the first time in three years. The highest 3-year average of the 4^{th} maximum concentration for 2016-2018 was 0.071 ppm at South Fayette.

For particulate matter 2.5 microns or less in diameter (PM_{2.5}), one of the eight monitoring sites was above the annual standard of 12.0 $\mu g/m^3$ (micrograms/cubic meter): Liberty was 12.6 $\mu g/m^3$ for the years 2016-2018.

On a short-term basis, the Liberty FRM (Federal Reference Method) PM_{2.5} monitor exceeded the 24-hour standard of 35 μ g/m³ seven times, leading to a 98th-percentile value of 28.0 μ g/m³. On December 17, 2006, the new EPA 24-hour PM_{2.5} standard of 35 μ g/m³ became effective. For the second time in four years, data from the Liberty PM_{2.5} monitor in Allegheny County shows attainment of this standard.

Concurrent with the revised 24-hour PM_{2.5} standard, the annual standard of 50 μ g/m³ for PM₁₀ was revoked. Annual averages are included in this report and may be included in future reports for comparative purposes.

A new 1-hour federal standard of 75 ppb was promulgated in 2010 for SO_2 . To attain this standard, the 3-year average of the 99^{th} percentile of the daily maximum 1-hour average at each monitor must not exceed 75 ppb.

A new 1-hour federal standard of 100 ppb was promulgated in 2010 for NO_2 . To attain this standard, the 3-year average of the 98^{th} percentile of the daily maximum 1-hour average at each monitor must not exceed 100 ppb.

All exceedances of the short-term standards in 2018 are shown in the table on the next page. All other criteria pollutants were below the annual and short-term federal standards in 2018. Ozone can have a short-term exceedance of either the 1-hour or 8-hour standard and will be labeled as such. The $PM_{2.5}$ short-term exceedances are for the 24-hour standard and the SO_2 short-term exceedances are for the 1-hour standard.



2018 Exceedances of the Short-Term Federal Standards

Pollutant	Site	Date	Concentration	Standard
Ozone	South Fayette	5/24/2018	0.078 ppm (8-hr.)	0.070 ppm
Ozone	Harrison	5/26/2018	0.072 ppm (8-hr.)	0.070 ppm
Ozone	Lawrenceville	5/26/2018	0.072 ppm (8-hr.)	0.070 ppm
Ozone	Lawrenceville	5/28/2018	0.076 ppm (8-hr.)	0.070 ppm
Ozone	Lawrenceville	6/8/2018	0.076 ppm (8-hr.)	0.070 ppm
Ozone	Harrison	6/8/2018	0.075 ppm (8-hr.)	0.070 ppm
Ozone	Harrison	6/16/2018	0.072 ppm (8-hr.)	0.070 ppm
Ozone	Lawrenceville	6/29/2018	0.074 ppm (8-hr.)	0.070 ppm
Ozone	Harrison	6/30/2018	0.087 ppm (8-hr.)	0.070 ppm
Ozone	Lawrenceville	6/30/2018	0.079 ppm (8-hr.)	0.070 ppm
Ozone	South Fayette	6/30/2018	0.076 ppm (8-hr.)	0.070 ppm
Ozone	Lawrenceville	7/10/2018	0.073 ppm (8-hr.)	0.070 ppm
Ozone	Harrison	7/10/2018	0.071 ppm (8-hr.)	0.070 ppm
Ozone	South Fayette	7/10/2018	0.071 ppm (8-hr.)	0.070 ppm
PM _{2.5}	Liberty	2 Days	Max = 43.8 μg/m ³	35 μg/m³
SO ₂	Liberty	11 Hours	Max = 155 ppb	75 ppb
SO ₂	North Braddock	3 Hours	Max = 113 ppb	75 ppb



2. Attainment of the Federal Standards

8-Hour Ozone

Allegheny County and the surrounding six counties of the Pittsburgh-Beaver Valley Area have been designated nonattainment for 8-hour ozone, based on 2001-2003 monitored data. In February 2011, the EPA had issued in 40 CFR part 52, Approval and Promulgation of Air Quality Implementation Plans; Pennsylvania; Determination of Attainment for the Pittsburgh-Beaver Valley 8-Hour Ozone Nonattainment area (this is for the old standard of 0.08 ppm). In December 2016, the EPA had issued in 40 CFR part 52,



Approval and Promulgation of Air Quality State Implementation Plans; Pennsylvania; Determination of Attainment of 2008 Ozone National Ambient Air Quality Standards; Pittsburgh-Beaver Valley (this is for the old standard of 0.075 ppm). The monitor at Harrison had the highest 3-year average of 0.070 ppm for 2015-2017 in the area. South Fayette is the highest in Allegheny County for 2016-2018 at 0.071 ppm. Allegheny County is in nonattainment of the 8-hour ozone standard of 0.070 ppm for the first time.

<u>PM</u>2.5

Allegheny County has been designated nonattainment for $PM_{2.5}$ as part of a multi-county Pittsburgh-Beaver Valley Area, based on 2001-2003 monitored data. Additionally, a five-municipality Liberty-Clairton Area was designated nonattainment as a separate area within Allegheny County. Monitored results for 2016-2018 show levels of attainment county-wide, excluding the Liberty-Clairton Area, for the annual standard of 12.0 $\mu g/m^3$. The entire county was designated as nonattainment of the 2012 standard and SIP development is



underway. The Liberty-Clairton Area is still in violation of the new annual standard. The County is developing a State Implementation Plan (SIP) for the control of $PM_{2.5}$ in the Liberty-Clairton Area. Funding from the County's Clean Air Fund has been approved for use in this SIP development. The County will also assist the PA DEP in the development of the Pittsburgh-Beaver Valley $PM_{2.5}$ SIP.

<u>SO</u>2

The County had monitored attainment for $\underline{SO_2}$ for 10 consecutive years. EPA redesignated Allegheny County to attainment for SO_2 in 2004. However, the Liberty monitor is in nonattainment of the new 1-Hour NAAQS of 75 ppb. ACHD created and submitted a SIP to EPA September 14, 2017 to attain the standard.



Other Criteria

The County has monitored attainment for $\underline{PM_{10}}$ for 24 consecutive years. EPA redesignated Allegheny County to attainment for PM_{10} in 2003.

For <u>1-hour ozone</u>, the County has monitored attainment for 21 consecutive years. EPA redesignated Allegheny County to attainment for the 1-hour ozone standard in 2001. EPA revoked this standard for Southwestern PA in 2005.

For <u>CO</u>, the County has monitored attainment for 31 consecutive years. EPA redesignated Allegheny County to attainment for CO in 2003.

For $\underline{NO_2}$, the County has monitored attainment for over 35 consecutive years and has been in attainment since promulgation of the standard.

For <u>Lead (Pb)</u>, in 2014 the County had monitored nonattainment for the first time in over 25 years. The County has monitored attainment in 2015, 2016 and 2017.

HE WALL THE DEPARTMENT

2018 AIR QUALITY ANNUAL REPORT

3. Air Monitoring Results

A. Ozone (O₃)

The federal standard for ozone is based on maximum 8-hour averages within each 8-hour block period within a calendar day. The 8-hour standard of 0.070 parts per million (ppm) must not be exceeded by the 3-year average of the 4th highest 8-hour concentrations. Starting 2016, the ozone season for Allegheny County extends from March 1 through October 31.

There were eight exceedance days overall for 8-hour ozone in 2018. Four of the days included an exceedance at more than one monitor.

Based on predominant wind flow for Allegheny County, South Fayette is considered to represent incoming ozone levels, Lawrenceville represents ambient urban ozone levels, and Harrison represents outgoing ozone levels.

8-Hour Ozone Concentrations


Maximum 8-hour ozone concentrations and exceedance days are given below for 2018, with exceedance concentrations and days shown in red. 2017 values are shown in gray for comparison.

	8-Hour Std. = 0.070 ppm*									
Site	2017 8-Hour Maximum (ppm)	2018 8-Hour Maximum (ppm)	2017 Exceedance Days	2018 Exceedance Days	2015-2017 8-Hour 3-Yr. Avg. of 4 th Max. (ppm)	2016-2018 8-Hour 3-Yr. Avg. of 4 th Max. (ppm)				
South Fayette	0.082	0.078	8	3	0.070	0.071				
Harrison	0.071	0.087	1	5	0.069	0.068				
Lawrenceville	0.069	0.079	0	6	0.068	0.069				

^{*} For comparison to the standards, values are truncated at 1/1000th ppm (e.g., 0.0706 truncates to 0.070 ppm). An exceedance day is one in which any 8-hour period has an average of greater than 0.070 ppm.



Below is a chart showing the 8-hour design values for the three Allegheny County Health Department sites since 1998.



8-Hour Ozone Design Values, ACHD Sites, 1998 to 2018

1-Hour Ozone Concentrations

The 1-hour standard was revoked for the Pittsburgh-Beaver Valley Area in mid-2005. The former 1-hour standard of 0.12 ppm was not to be exceeded more than once a year, averaged over a 3-year period. 1-hour ozone maximums and exceedances are given in this report for comparative purposes.

Maximum 1-hour concentrations for ozone are given in the table that follows for 2018, with 2017 values shown in gray. "Expected" exceedance days are based on the 3-year average of the actual exceedance days per year, adjusted for missing data.




	Former 1-Hour Std. = 0.12 ppm									
Site	2017 1-Hour Maximum (ppm)	2018 1-Hour Maximum (ppm)	2017 Exceedance Days	2018 Exceedance Days	2015-2017 Expected Exceedance Days	2016-2018 Expected Exceedance Days				
Harrison	0.082	0.100	0	0	0.0	0.0				
Lawrenceville	0.080	0.086	0	0	0.0	0.0				
South Fayette	0.092	0.083	0	0	0.0	0.0				

^{*} For comparison to the standards, values are rounded to the nearest 1/100th ppm (e.g., 0.126 rounds up to 0.13 ppm). An exceedance day is one in which any hour has a concentration of 0.125 ppm or greater. Concentrations are shown here in thousandths of ppm for detail.

Below is a chart showing ozone exceedance days, both 1-hour and 8-hour, for all Allegheny County sites over the period 1998-2018. Exceedance days represent days when at least one site exceeded the standard. 8-hour exceedance days are shown starting in 1998, when the 8-hour standard was promulgated.

Ozone Exceedance Days, 1998-2018





B. Particulate Matter - 2.5 microns or less (PM_{2.5})

PM_{2.5} Filter-Based Monitors, Annual

Federal Reference Method (FRM) filter-based PM_{2.5} monitors are used to determine attainment for an area. The annual federal standard for PM_{2.5} is 12.0 μ g/m³ on an annual basis (3-year average).

Annual averages for 2018 are given in the table below, with 2017 averages shown in gray. 2018 annual and 3-year averages that exceeded the standard are shown in red.


	Annual Std. = 12.0 μg/m³										
Site	2017 Average	3-Year		2016-2018 3-Year Average							
Liberty	13.4	11.5	13.0	12.6							
North Braddock	11.0	10.2	10.8	10.7							
Avalon			10.2	9.7							
Harrison	10.0	9.3	9.8	9.6							
Clairton	9.8	8.8	9.8	9.3							
Lawrenceville	9.2	9.0	9.2	9.1							
South Fayette	8.7	8.1	8.4	8.3							
North Park	8.3	7.2	8.2	7.8							

Note: Starting 2017, the Avalon filter-based monitor is now a quality assurance monitor.



2018 FRM annual averages are shown on the map below. Sites that exceeded the standard are shown in red. 2018 FEM annual averages are also shown on the map below in blue.

2018 PM_{2.5} FRM/FEM Annual Averages by Site, in μg/m³





Long-term trends for the PM_{2.5} annual averages and the PM_{2.5} annual design values are shown in the charts below.

PM_{2.5} Annual Weighted Means by Year, 2000 to 2018

25.0

20.0

10.0

Liberty

Avalon

North Braddock

Harrison

Lawrenceville

Clairton

South Fayette


North Park

Parkway East

EPA Standard (12.0 µg/m³)

Former EPA Standard (15.0 µg/m³)

2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018





PM_{2.5} Filter-Based Monitors, 24-Hour

The 24-hour standard for PM_{2.5} of 65 μ g/m³ on a 24-hour basis (3-year average of the 98th-percentile value) was revised in December 2006 to 35 μ g/m³.

The maximum 2018 24-hour concentrations and number of exceedance days are shown in the following table, with 2017 values shown in gray. Values for 98th-percentile values by year and by 3-year average are also shown. Exceedances in 2018 are shown in red.


	24-Hour Std. = 35 μg/m³										
Site	2017 24-Hour Max.	2018 24-Hour Max.	2017 24-Hour Exceed.	2018 24-Hour Exceed.	2017 98 th - Percentile Value	2018 98 th - Percentile Value	2015-2017 3-Year Avg. of 98 th - Percentile	2016-2018 3-Year Avg. of 98 th - Percentile			
Liberty	77.7	43.8	10	2	36.5	28.0	37.2	34.9			
North Braddock	41.6	26.9	1	0	23.0	24.5	24.3	24.5			
Avalon							21.1	20.2			
Harrison	28.5	21.3	0	0	21.0	19.3	20.9	20.0			
Clairton	27.2	17.5	0	0	19.1	17.5	21.5	18.7			
Lawrenceville	27.0	27.7	0	0	17.7	19.2	19.5	18.4			
South Fayette	24.3	19.5	0	0	19.4	17.9	19.2	18.3			
North Park	20.7	18.3	0	0	16.4	14.3	17.3	15.6			

Note: Starting 2017, the Avalon filter-based monitor is now a quality assurance monitor.


Long-term trends for the $PM_{2.5}$ 24-hour 98^{th} -percentile by year and the design values by 3-year period are shown in the charts that follow.







PM_{2.5} 24-Hour Design Values by 3-Year Period, 2000 to 2018





PM_{2.5} Continuous Monitors

ACHD's four continuous PM_{2.5} monitors are used mainly for AQI reporting. The Liberty monitor is not used formally in determining attainment of the federal standards, but they do provide estimates of the FRM filter-based values. Since 2007, ACHD reports both the raw (as measured from the monitor) and corrected (correlated to the FRM at the same site) continuous values. All data reported prior to 2007 is considered raw. The Parkway East monitor started operation in 2016 and the Avalon monitor started operation in 2017; both monitors are used to determine attainment of the federal standards.

	Annual	Std. = 12.0	μg/m³ [FRM]	24-Hour Std. = 35 μg/m³ [FRM]		
Site	2017 RAW Average	2018 RAW Average	2018 CORRECTED Average	2017 RAW 24-Hour Maximum	2018 RAW 24-Hour Maximum	2018 CORRECTED 24-Hour Maximum
Avalon	10.0	9.6		30.3	32.1	
Parkway East	10.6	10.3		44.9	25.3	
Lawrenceville	9.5 11.7			29.0	28.1	
Liberty	10.6	9.3	9.9	46.8	29.8	35.2

PM_{2.5} Speciation Monitors

Physically, $PM_{2.5}$ is any particle that is 2.5 microns or less in diameter. Chemically, $PM_{2.5}$ is composed of many different chemical compounds. In addition to the FRM and continuous $PM_{2.5}$ monitors, the County operates two $PM_{2.5}$ speciation monitors that are used to measure specific components, or species, of the total collected sample. In the Pittsburgh metro area, the most dominant $PM_{2.5}$ species are sulfates and organic carbon compounds.


The averages of the major species concentrations are given below. Crustal component is made up of fine soil or minute dust particles. Additional material collected by the monitors and not shown below can include particle-bound water, trace amounts of metals and non-metals, and unspeciated material.



Annual averages for major species at Lawrenceville and Liberty for 2018 are given below in $\mu g/m^3$.

Site	Nitrate	Sulfate	Ammonium	Organic Carbon	Elemental Carbon	Soil
Liberty	0.863	2.037	0.899	2.294	1.169	0.429
Lawrenceville	0.915	1.364	0.498	1.981	0.667	0.442

2018 major species averages are also shown in the column chart below.



HE DEPARTMENT

2018 AIR QUALITY ANNUAL REPORT

C. Particulate Matter - 10 microns or less (PM₁₀)

 PM_{10} is sampled using both intermittent filter-based and continuous monitors throughout the County. Both types of PM_{10} monitors can be used for comparison to the federal standard of 150 $\mu g/m^3$ (24-hour). The 24-hour standard can be exceeded an average of once per year over a 3-year period. The PM_{10} annual standard of 50 $\mu g/m^3$ was revoked by EPA in December 2006; annual averages have been given below for comparative purposes. The North Braddock Filter-based Monitor and the Monroeville Continuous Monitor were discontinued yearend 2015. The Avalon Filer-based Monitor was discontinued after the first quarter of 2017.

2018 maximums and averages are shown in the table below, with 2017 values shown in gray. There were no exceedances in 2018.

PM₁₀ Filter-Based Monitors

	24-Hour Std.	= 150 μg/m³	Former Annual Std. = 50 μg/m³		
Site	2017 24-Hour Maximum	2018 24-Hour Maximum	2017 Average	2018 Average	
Liberty	106	50	19.5	16.9	
Manchester	38	32	15.3	14.7	
Clairton	29	27	13.7	12.6	
South Fayette	26	22	11.6	10.7	

PM₁₀ Continuous Monitors

	24-Hour Std	. = 150 μg/m³	Former Annual Std. = 50 μg/m³		
Site	2017 24-Hour Maximum	2018 24-Hour Maximum	2017 Average	2018 Average	
Lincoln	108	83	24.3	20.1	
North Braddock	66	62	22.9	22.1	
Glassport	68	57	15.8	15.0	
Liberty	87	54	18.2	16.3	
Flag Plaza	52	44	16.4	15.1	



Below is a chart showing PM_{10} 24-hour exceedances for the period 1998-2018. Continuous monitors began operation after 1992. For sites with both filter-based and continuous monitors, data for only the filter-based monitors are shown.

So and a part of the part of t

PM₁₀ 24-Hour Exceedances, 1998-2018

HE DEPARTMENT

2018 AIR QUALITY ANNUAL REPORT

D. Sulfur Dioxide (SO₂)

Sulfur dioxide is monitored at five sites in the County, mostly in industrial areas. The South Fayette monitor is used as a background monitor, providing a measurement of SO_2 entering Allegheny County from the southwest. The former primary federal standards were 0.14 ppm (24-hour average) and 0.03 ppm (annually); the new 1-hour primary federal standard of 75 ppb was promulgated in 2010. To attain this standard, the 3-year average of the 99th percentile of the daily maximum 1-hour average at each monitor must not exceed 75 ppb. Maximums and averages for 2018 are shown in the table below, with 2017 values shown in gray. Exceedances in 2018 are shown in red. The NCore trace gas analyzer for SO_2 at Lawrenceville started operation in 2010 and Stowe was discontinued in 2011. The North Braddock SO_2 gas analyzer started operation in 2014.


	Former 24-Hour	Std. = 0.14 ppm	Former Annual Std. = 0.03 ppm		
Site	2017 24-Hour Maximum	2018 24-Hour Maximum	2017 Average	2018 Average	
Liberty	0.032	0.029	0.004	0.004	
North Braddock	0.023	0.014	0.001	0.001	
Lawrenceville	0.003	0.007	0.001	0.001	
South Fayette	0.004	0.004	0.001	0.001	
Avalon	0.002	0.002	0.000	0.000	

		1-Hour Std. = 75 ppb						
Site	2017 1-Hour Maximum	2018 1-Hour Maximum	2015-2017 99 th percentile	2016-2018 99 th percentile	2018 Exceedances			
Liberty	163	155	97	103	11			
North Braddock	127	113	55	61	3			
Lawrenceville	15	19	14	10	0			
Avalon	6	19	21	9	0			
South Fayette	19	15	12	9	0			

 SO_2 24-hour exceedances are shown on the following page for 1998-2018. The former 24-hour standard can be exceeded once per year. Glassport was the last site to exceed the 24-hour standard in 1999.




Sulfur Dioxide 24-Hour Exceedances, 1998-2018



SO₂ annual average trends are shown below for 1998-2018.


Sulfur Dioxide Annual Averages, 1998-2018





SO₂ one-hour design value trends are shown below for 2005-2018.

Sulfur Dioxide 1-HR Design Values, 2005 to 2018






E. Carbon Monoxide (CO)

The County operates three carbon monoxide (CO) monitors; one in the Downtown Pittsburgh area. The NCore trace gas analyzer for CO at Lawrenceville started operation in 2010. The Parkway East, Near Road, trace gas analyzer for CO started operation on 9/1/2014 and the Downtown CO monitor was discontinued on 8/27/2014. The federal standards for CO are 35 ppm on an hourly basis and 9 ppm on an 8-hour average basis. Maximums for 2018 are shown in the table below, with 2017 values shown in gray.

	1-Hour Std	. = 35 ppm	8-Hour Std. = 9 ppm		
Site	2017 1-Hour Maximum	2018 1-Hour Maximum	2017 8-Hour Maximum	2018 8-Hour Maximum	
Parkway East	8.9	7.3	3.9	3.3	
Flag Plaza	2.1	1.9	1.3	1.3	
Lawrenceville	2.1	1.3	1.1	1.0	

Carbon monoxide maximum trends are shown below for 1998-2018. The County has not exceeded the 8-hour standard since 1987.

Carbon Monoxide 1-Hour and 8-Hour Maximum Trends, 1998-2018





F. Nitrogen Dioxide (NO₂)


Nitrogen oxides are monitored at two sites in the County. Nitrogen dioxide (NO_2) is calculated each hour by subtracting nitrogen oxide (NO_3) from the total nitrogen oxides (NO_3) concentration. Starting in 2010, the standard for NO_2 is now 0.053 ppm (53 ppb) on an annual average basis. A new 1-hour federal standard 100 ppb was promulgated in 2010. To attain this standard, the 3-year average of the 98th percentile of the daily maximum 1-hour average at each monitor must not exceed 100 ppb. 2018 averages are shown in the table below, with 2017 values shown in gray. The Parkway East, Near Road, trace gas analyzer for NO_2 started operation on 9/1/2014 and the Lawrenceville NO_2 monitor was discontinued on 8/25/2014.

	Annual St	d. = 53 ppb	1-Hour Std. = 100 ppb			
Site	2017 Average	2018 Average	2017 1-Hour Maximum	2018 1-Hour Maximum	2015-2017 98 th percentile	2016-2018 98 th percentile
Parkway East	10	10	40	44	40	37
Harrison	6	6	51	49	35	35

Long-term trends for NO₂ annual averages are shown on the following page for 1998-2018.



Nitrogen Dioxide Annual Averages, 1998-2018



NO₂ one-hour design value trends are shown below for 2000-2018.

Nitrogen Dioxide 1-HR Design Values, 2000 to 2018






G. Lead (Pb)

The Bridgeville and Lawrenceville monitors were discontinued yearend 2017. Lead was analyzed at the laboratory from the two TSP filter sites in the network. The federal standard was 1.5 μ g/m³ on a quarterly average basis; however, in 2009 the federal standard was changed to 0.15 μ g/m³ on a 3-month rolling average basis at local conditions. 2017 3-month rolling average maximums shown in gray in the table below. Both Bridgeville and Natrona started operation in 2010. The Avalon monitor was moved to Lawrenceville the second quarter of 2011. The Natrona monitor was discontinued yearend 2014.

	3-Month Average Std. = 0.15 μg/m³				
Site	2017 3-Month Average Maximum	2018 3-Month Average Maximum			
Bridgeville	0.008				
Lawrenceville	0.007				


Below is a chart showing 1997-2017 trends of the quarterly or 3-month average maximum lead concentration per year. Several sites have monitored lead since 1986; the maximum concentration from all sites is shown for each given year. 2008 and prior years are quarterly maximums, while 2009 and future years are maximum 3-month averages.







Below is a chart showing the 3-month rolling average for Bridgeville. Note the month at the bottom of the chart represents the last month in the 3-month rolling average. For example, January 2011 represents the 3-month average of November 2010, December 2010, and January 2011.






H. Hydrogen Sulfide (H₂S)

There are no federal standards for hydrogen sulfide. However, PA state standards for protection against odor nuisances are 0.1 ppm on a 1-hour basis and 0.005 ppm on a 24-hour average basis.

Hydrogen sulfide 1-hour concentrations for 2018 are given in the table below, with 2017 values shown in gray. 2018 1-hour concentrations that exceeded the standard are shown in red. Long-term exceedances for 1998-2018 are also given in the chart below. Liberty last exceeded the 1-hour PA standard six times in 2015. The West Allegheny monitor started operation in May 2009 and was discontinued on 8/29/2014.

	1-Hour PA Standard = 0.1 ppm				
Site	2017 1-Hour Maximum	2018 1-Hour Maximum	2017 Exceedances	2018 Exceedances	
Liberty	0.083	0.073	0	0	
Avalon	0.006	0.005	0	0	

Hydrogen Sulfide 1-Hour Exceedances, 1998-2018






Hydrogen sulfide 24-hour concentrations and exceedances for 2018 are next given in the following table, with 2017 values shown in gray. Long-term exceedances for 1998-2018 are also given in the chart below. Exceedances for 2018 are shown in red. Each exceedance constitutes a violation of the state 24-Hour H₂S standard.

		24-Hour PA Standard = 0.005 ppm				
Site	2017 24-Hour Maximum	2018 24-Hour Maximum	2017 Exceedances	2018 Exceedances		
Liberty	0.019	0.017	59	35		
Avalon	0.002	0.003	0	0		

Hydrogen Sulfide 24-Hour Exceedances, 1998-2018





I. Dustfall

Dustfall (or total settled particulates) is more of a nuisance than a health hazard, in that the particles are too large to be inhaled into the respiratory system.

PA state standards for protection against dust nuisances are 0.8 mg/cm²/month (formerly 23 tons/mile²/month) on an annual average basis and 1.5 mg/cm²/month (formerly 43 tons/mile²/month) on a monthly basis.

Annual averages, monthly maximums, and exceedances for 2018 are shown in the table below, with 2017 values shown in gray. Exceedances for 2018 are shown in red. Each exceedance constitutes a violation of the state dustfall standards.

Collier, Natrona 8, and Natrona 9 dustfall collectors were in operation for 2009 and future years. North Braddock, Neville, Neville 2 and Forward dustfall collectors were discontinued year end 2008. West Deer and Russellton began operation in April 2018.

		Standard = m²/month	_	Monthly PA Standard = 1.5 mg/cm²/month Monthly Ex		xceedances	
Site	2017 Average	2018 Average	2017 Monthly Maximum	2018 Monthly Maximum	2017 Exceedances	2018 Exceedances	
Natrona 9	0.89	0.83	1.68	1.16	1	0	
Russellton		0.75		1.29		0	
Natrona 8	0.68	0.46	2.00	0.95	1	0	
West Deer		0.46		1.39		0	
Collier	0.40	0.40	0.77	1.01	0	0	



J. Benzo(a)pyrene (B(a)P)

Benzo(a)pyrene, or B(a)P, is a known carcinogen. There are no federal or state ambient standards for B(a)P.

24-hour maximums and annual averages for B(a)P in 2018 are shown below, with 2017 values shown in gray. Liberty typically shows the highest concentrations of B(a)P in Allegheny County. B(a)P measurements at Avalon discontinued yearend 2016.

No Ambient Standard Concentrations given in ng/m³*						
Site	2017 24-Hour Maximum	2018 24-Hour Maximum	2017 Average	2018 Average		
Liberty	168	32	15	7		
South Fayette	2	2	0	0		

Note: Nanograms/cubic meter (ng/m³) represents a smaller quantity than micrograms/cubic meter (μ g/m³). There are 1000 nanograms in a microgram. Concentrations for B(a)P may therefore appear much greater than those for other compounds.



K. Hazardous Air Pollutants (HAPs)

Hazardous Air Pollutants (HAPs), or air toxics, are a group of 187 EPA-classified pollutants that can cause cancer or other serious health effects or adverse environmental and ecological effects. HAPs are sampled by various methods at several locations in the county. HAPs are not criteria pollutants, and there are no federal ambient standards for these compounds.

HAPs monitoring methods and locations are summarized below:

Canister Toxics

SUMMA canisters were in operation at Flag Plaza, Avalon, Stowe, and South Fayette. Canister concentrations represent 24-hour samples, collected every six days, which are analyzed at an out-of-County lab (Maryland). Canister toxics monitoring at Flag Plaza has been in operation for several years, while monitoring at Avalon, Stowe, and South Fayette was part of an ACHD in-house air toxics study started in 2006 and discontinued year end 2007.

Cartridge Toxics

Cartridge (carbonyl) monitoring is conducted at all the canister sites at every-six-day intervals, and samples are analyzed at an out-of-County lab (Philadelphia). Cartridge toxics monitoring at Flag Plaza has been in operation for several years, while monitoring at Avalon, Stowe, and South Fayette was part of an ACHD in-house air toxics study started in 2006 and discontinued year end 2007.

<u>Benzene</u>

The HAP compound benzene was measured continuously at Liberty through 2013. ACHD started monitoring benzene at Liberty in January and Avalon in April of 2014 using charcoal tubes on a 24-hour basis. However, the benzene monitor was inoperative in most of 2006 and 2007.

Results from the various techniques and sites are given below and on the following pages. Several additional compounds that are analyzed simultaneously with the canister and cartridge samples, but are not classified as HAPs, are also provided.



Flag Plaza - Canister and Cartridge

Annual averages and 24-hour maximums for Flag Plaza canister and cartridge HAPs in 2018 are shown below, with 2017 values shown in gray. Several years of toxics data are available for Flag Plaza, and multi-year trends for selected compounds may be included in future reports.

Notes: Concentrations are given below in units of parts-per-billion (ppb) by volume; one ppb is equal to 1/1000th parts-per-million (ppm) by volume.

Flag Plaza						
НАР	2017 Average (ppb)	2017 24-Hour Maximum (ppb)	2018 Average (ppb)	2018 24-Hour Maximum (ppb)		
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) †	0.11	0.20	0.10	0.16		
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114) †	0.02	0.04	0.02	0.05		
1,3-Butadiene	0.02	0.09	0.01	0.08		
Hexane	0.14	0.41	0.12	1.40		
Heptane [†]	0.07	0.59	0.06	0.40		
Cyclohexane [†]	0.03	0.09	0.02	0.08		
Methyl tert-butyl ether (MTBE, 2-methoxy-2-methyl- Propane)	0.00	0.02	0.00	0.02		
Formaldehyde*	1.79	4.33	1.94	8.63		
Acetaldehyde*	0.71	1.17	0.74	1.79		
Propionaldehyde*	0.13	0.24	0.16	0.39		
Acrolein	0.03*	0.09*	0.30	1.85		
Acetone* [†]	1.42	2.83	1.54	3.43		
Methyl ethyl ketone (MEK, 2-Butanone)*	0.26	0.52	0.21	0.46		
Methyl isobutyl ketone (MIK, 4-Methyl-2-pentanone)*	0.04	0.21	0.10	0.60		
Chloromethane	0.70	0.94	0.67	0.98		
Methylene chloride (Dichloromethane)	0.13	0.39	0.12	0.40		
Chloroform	0.07	0.96	0.08	0.84		
Carbon tetrachloride	0.10	0.13	0.09	0.12		
Trichlorofluoromethane (Freon 11) †	0.29	0.35	0.29	0.46		
1,1,1-Trichloroethane (Methyl chloroform)	0.02	0.12	0.01	0.05		
1,2-Dichloroethane (Ethylene dichloride)	0.01	0.05	0.01	0.04		
Tetrachloroethylene	0.02	0.09	0.02	0.07		
1,1,2,2-Tetrachloroethane	0.00	0.02	0.00	0.03		
Dichlorodifluoromethane (Freon 12) †	0.60	1.09	0.58	0.93		
Trichloroethene (-ethylene, TCE)	0.00	0.03	0.00	0.03		
1,2-Dichloropropane	0.00	0.11	0.00	0.01		
trans-1,3-Dichloro-1-propene (-propylene)	0.00	0.01	0.00	0.00		
cis-1,3-Dichloro-1-propene (-propylene)	0.00	0.01	0.00	0.01		
1,2-Dibromoethane (Ethylene dibromide)	0.00	0.01	0.00	0.04		
Chloroethene (Vinyl chloride)	0.00	0.02	0.00	0.00		



Flag Plaza							
НАР	2017 Average (ppb)	2017 24-Hour Maximum (ppb)	2018 Average (ppb)	2018 24-Hour Maximum (ppb)			
m & p- Xylene	0.17	1.94	0.15	0.51			
Benzene	0.43	1.11	0.37	1.47			
Toluene	0.37	1.86	0.38	1.26			
Ethylbenzene	0.07	0.90	0.05	0.24			
o-Xylene	0.06	0.53	0.05	0.21			
1,3,5-Trimethylbenzene [†]	0.02	0.08	0.02	0.13			
1,2,4-Trimethylbenzene [†]	0.05	0.32	0.05	0.51			
1-Ethyl-4-methylbenzene (4-Ethyltoluene) †	0.03	0.40	0.04	0.61			
Styrene	0.08	1.74	0.06	1.14			
Benzaldehyde* [†]	0.07	0.24	0.10	0.60			
Chlorobenzene	0.01	0.05	0.01	0.08			
1,4-Dichlorobenzene	0.02	0.18	0.03	0.30			
Tetrahydrofuran [†]	0.02	0.12	0.02	0.66			

^{*}Value measured by cartridge (carbonyl) method. All other values are as measured by SUMMA canister.
†Compound is not an official EPA-classified HAP.




<u>Benzene</u>

Additionally, benzene was measured continuously at Liberty through 2013. ACHD started monitoring benzene at Liberty in January and Avalon in April of 2014 using charcoal tubes on a 24-hour basis. The annual average and 24-hour maximum for benzene in 2018 are shown below, with 2017 values shown in gray.

Site	2017 Average (ppb)	2017 24-Hour Maximum (ppb)	2018 Average (ppb)	2018 24-Hour Maximum (ppb)
Liberty	0.84	10.76	0.96	12.74
Avalon	0.01	0.36	0.05	0.66

A chart showing Liberty benzene annual averages for 1998-2018 is shown below. The continuous monitor began operation in 1991 and was not operational in 1996, most of 2006, 2007, and portions of 2011, 2012 and 2013.





4. Short-Term Exceedances

Exceedances of the federal short-term primary standards are listed below for the years 2001 through 2018 for each standard. Exceedances are given by year, site, number of exceedances, and maximum concentration.

Standard	Year	Site	Number of Exceedances	Maximum Concentration
24-Hour PM _{2.5}	2001	Liberty	5	99 μg/m³
65 μg/m ³	2002	Liberty	1	70 μg/m³
1 0	2003	Liberty	9	102 μg/m³
	2004	Liberty	7	94 μg/m³
	2005	Liberty	10	100 μg/m³
	2006	Liberty	3	101 μg/m³
		,		1 0
35 μg/m³	2007	Liberty	46	61.7 μg/m³
, .	2007	Lawrenceville	12	50.7 μg/m ³
	2007	N. Braddock	6	50.0 μg/m³
	2007	Harrison	5	51.8 μg/m ³
	2007	South Fayette	4	43.6 μg/m³
	2007	Moon	1	40.7 μg/m ³
	2007	Clairton	1	40.4 μg/m ³
	2007	North Park	1	39.6 μg/m³
	2008	Liberty	31	70.8 μg/m³
	2008	N. Braddock	4	38.4 μg/m³
	2008	Harrison	2	41.3 μg/m ³
	2008	Clairton	1	40.6 μg/m³
	2008	Lawrenceville	1	39.7 μg/m³
	2009	Liberty	12	92.1 μg/m³
	2009	Harrison	1	43.5 μg/m³
	2010	Liberty	25	69.9 μg/m³
	2010	N. Braddock	3	40.6 μg/m³
	2010	Lawrenceville	2	41.5 μg/m³
	2010	Harrison	2	39.7 μg/m³
	2010	Clairton	1	37.0 μg/m³
				· -
	2011	Liberty	10	59.0 μg/m³
	2011	Avalon	1	35.6 μg/m³
	2011	N. Braddock	1	35.5 μg/m³
	2012	Liberty	9	54.7 μg/m³
	2013	Liberty	6	43.6 μg/m³



Standard	Year	Site	Number of Exceedances	Maximum Concentration
24-Hour PM _{2.5}	2014	Liberty	4	63.8 μg/m³
35 μg/m³	2015	Liberty	7	63.8 μg/m³ 58.1 μg/m³ 56.0 μg/m³ 77.7 μg/m³ 44.9 μg/m³ 41.6 μg/m³ 43.8 μg/m³ 162 μg/m³ 157 μg/m³ 0.101 ppm 0.095 ppm 0.098 ppm 0.107 ppm 0.110 ppm 0.122 ppm 0.111 ppm 0.122 ppm 0.111 ppm 0.089 ppm 0.089 ppm 0.0087 ppm 0.093 ppm 0.093 ppm 0.093 ppm 0.097 ppm 0.099 ppm
1 0,	2016	Liberty	13	
	2017	Liberty	10	77.7 μg/m³
	2017	Parkway East	1	44.9 μg/m³
	2017	N. Braddock	1	41.6 μg/m³
	2040	126		42.0 . / 3
	2018	Liberty	2	43.8 μg/m ⁹
24-Hour PM ₁₀	2004	Lincoln	1	162 μg/m³
150 μg/m³	2005	Lincoln	1	
			_	=0 / PG/ ···
8-Hour Ozone	2001	Harrison	8	0.101 ppm
0.08 ppm	2001	Lawrenceville	4	0.095 ppm
	2001	South Fayette	7	0.098 ppm
	2002			0.405
		Harrison	14	
		Lawrenceville	16	
	2002	South Fayette	17	0.110 ppm
	2003	Harrison	2	0.121 ppm
		Lawrenceville	5	
		South Fayette	4	
	2000	Journ a yette	•	0.111 pp
	2004	South Fayette	1	0.089 ppm
	2005	Harrison	6	0.107 ppm
	2005	Lawrenceville	1	0.085 ppm
	2005	South Fayette	4	0.103 ppm
	2006	Harrison	4	0.002.nnm
		Lawrenceville	2	
	2006	South Fayette	1	0.087 ppm
	2007	Harrison	4	0.099 ppm
	2007	Lawrenceville	3	
	2007	South Fayette	1	0.087 ppm
0.075 ppm	2008	Harrison	10	0.091 ppm
	2001 2001 2001 2002 2002 2002 2002 2003 2003	Lawrenceville	7	0.084 ppm
	2008	South Fayette	3	0.079 ppm



Standard	Year	Site	Number of Exceedances	Maximum Concentration
8-Hour Ozone	2009	Harrison	6	0.084 ppm
0.075 ppm	2009	Lawrenceville	1	6 0.084 ppm 1 0.077 ppm 6 0.085 ppm 2 0.085 ppm 1 0.085 ppm 6 0.085 ppm 1 0.085 ppm 2 0.089 ppm 2 0.085 ppm 2 0.089 ppm 1 0.095 ppm 2 0.089 ppm 2 0.089 ppm 1 0.076 ppm 2 0.081 ppm 1 0.071 ppm 3 0.077 ppm 4 0.081 ppm 1 0.082 ppm 5 0.089 ppm 1 0.081 ppm 1 0.082 ppm 1 0.083 ppm 1 0.083 ppm 1 0.083 ppm 1 0.084 ppm 1 0.085 ppm 1 0.130 ppm 1 0.130 ppm 1 0.132 ppm 1 0.13
	2010	Harrison	6	0.105 nnm
	2010	Lawrenceville	-	
	-		-	
	2010	South Fayette	5	0.089 ppm
	2011	Harrison	10	0.085 ppm
	2011	Lawrenceville	3	0.095 ppm
	2011	South Fayette	6	0.086 ppm
	2012	Harrison	16	0.004 npm
	2012	Lawrenceville	_	
	-		<u> </u>	
	2012	South Fayette	ь	0.085 ppm
	2013	Harrison	4	0.085 ppm
	2013	Lawrenceville	1	0.095 ppm
	2013	South Fayette	2	0.089 ppm
	2014	Hamisan	2	0.076 ****
	2014	Harrison	2	0.076 ppm
	2015	Harrison	2	0.084 ppm
0.070 ppm	2016	Harrison	1	0.076 ppm
	2016	Lawrenceville	3	
	2016	South Fayette	_	
	2017	Harrison	1	
	2017	South Fayette	8	0.082 ppm
	2018	Harrison	5	0.087 ppm
	2018	Lawrenceville		
	2018	South Fayette		
1-Hour Ozone	2003	Lawrenceville		
0.12 ppm	2003	South Fayette	1	0.132 ppm
1-Hour SO ₂	2010	Liberty	34	215 ppb
75 ppb	2010	South Fayette		
- 1-1-1-	2010	Avalon		
	2010	Stowe Township	3	93 ppb
	2011	Liberty	45	450 ppb



Standard	Year	Site	Number of Exceedances	Maximum Concentration
1-Hour SO ₂	rear	Site	Execcuanices	Concentration
75 ppb	2012	Liberty	43	199 ppb
		-		
	2013	Liberty	9	99 ppb
	2013	Lawrenceville	2	100 ppb
	2014	Liberty	14	122 ppb
	2014	North Braddock	5	126 ppb
	2015	Liberty	17	244 ppb
	2015	North Braddock	1	80 ppb
	2016	Liberty	4	171 ppb
	2017	Liberty	18	163 ppb
	2017	North Braddock	3	127 ppb
	2018	Liberty	11	155 ppb
	2018	North Braddock	3	113 ppb



5. Air Quality Index

The Air Quality Index (AQI) is a method of quantifying air quality on any given day according to the highest measurements. EPA's AQI scale is shown below:

Air Quality Index (AQI) Values	Levels of Health Concern	Colors
When the AQI is in this range:	air quality conditions are:	as symbolized by this color:
0 to 50	Good	Green
51 to 100	Moderate	Yellow
101 to 150	Unhealthy for Sensitive Groups	Orange
151 to 200	Unhealthy	Red
201 to 300	Very Unhealthy	Purple
301 to 500	Hazardous	Maroon

The Pennsylvania Department of Environmental Protection (PA DEP) forecasts daily AQI levels for PM_{2.5} (year-round) and for ozone (March through Oct.) for Southwestern Pennsylvania.

Allegheny County AQI levels based upon actual monitored results for 2001-2018 are shown in the table below, by number of days.

Year	Good Days	Moderate Days	Unhealthy for Sensitive Groups Days	Unhealthy Days
2001	123	192	45	5
2002	144	144 172 44		5
2003	3 156 172		28	9
2004	141	182	36	7
2005	136	182	36	11
2006	156	173	32	4
2007	136	136 174		8
2008	187 157		20	2
2009	214	136 14		1
2010	146	163	48	8



Year	Good Days	Moderate Days	Unhealthy for Sensitive Groups Days	Unhealthy Days
2011	176	156	30	3
2012	136	183	46	1
2013	175	175	15	0
2014	169	179	16	1
2015	2015 166		16	2
2016	177	168	20	1
2017	161	173 30		1
2018	159	183	22	1

The Unhealthy for Sensitive Groups range represents an exceedance level for criteria pollutants. In Allegheny County, unhealthy days can occur during different air quality scenarios. Elevated $PM_{2.5}$ days can be either widespread or localized and can also coexist with elevated ozone concentrations in summer months. Days in the unhealthy ranges are shown below for 2018, broken down by air quality scenario.

2018 Unhealthy Scenarios	Unhealthy for Sensitive Groups Days	Unhealthy Days
Elevated PM _{2.5} - Liberty Only	4	0
Elevated PM _{2.5} - Widespread	0	0
Elevated Sulfur Dioxide Only	10	0
Elevated Ozone Only	7	1
Elevated PM _{2.5} with Elevated Sulfur Dioxide	1	0
Elevated PM _{2.5} with Elevated Ozone	0	0
Elevated Ozone with Elevated Sulfur Dioxide	0	0
Elevated PM _{2.5} , Elevated Ozone and Elevated Sulfur Dioxide	0	0



6. Pollutants, Sources, and Health Effects

EPA promulgated the National Ambient Air Quality Standards (NAAQS) for six criteria pollutants. In addition, the State of Pennsylvania has also adopted standards for hydrogen sulfide (H_2S) and dustfall (total settled particulate matter). The Clean Air Act also defines Hazardous Air Pollutants (HAPs) but does not address specific ambient limits for these compounds.

Pollutant	Primary Sources	Health Effects
	<u>Criteria Pollutants</u>	
Ozone − O₃ (colorless gas)	Formed in hot, sunny conditions from vehicle, commercial, and industrial emissions	Respiratory problems; eye, nose, and throat irritation
Particulate Matter – PM (solid or liquid particles)	Coke plants, steel mills, power plants, road dust, vehicles	Respiratory problems; small particles may also aggravate heart conditions
Sulfur Dioxide − SO ₂ (colorless gas)	Power plants, coke plants	Respiratory problems
Carbon Monoxide – CO (colorless, odorless gas)	Motor vehicles, especially congested areas	Heart or lung disease; headache; fatigue; impaired reflexes and alertness
Nitrogen Dioxide – NO ₂ (colorless, odorless gas)	Power and industrial plants, motor vehicles	Respiratory problems; eye irritation
Lead – Pb (in particulates)	Incinerators, glass making, metallurgical facilities	Headache; fatigue; sleep and digestive disorders



Pollutant	Primary Sources	Health Effects
	<u>Other</u>	
Hydrogen Sulfide – H ₂ S (colorless, pungent gas)	Coke plants, waste treatment plants	Respiratory problems; eye irritation; malodorous
HAPs (often carcinogens)	Various, including motor vehicles, chemical and power plants, steel mills, dry cleaners, print shops	Can be carcinogenic; can cause birth defects
Benzo(a)pyrene – B(a)P	Coke plants	Carcinogen



7. Air Monitoring Network

Below is a table of monitor sites corresponding to pollutant types, current through 2018. Meteorological monitors (wind and temperature) are also included.

	SO ₂	со	NOx	O ₃	PM ₁₀	PM _{2.5}	Pb	H ₂ S	HAPs	Dustfall	Met
Flag Plaza		С			С				I(6), I(6)		
Manchester					I(6)						
Lawrenceville	C(T)	C (⊤)		С		C, I(1) I(6) SPC(3)			I		С
North Park						I (6)					
Avalon	С					C, I (3)		С	- 1		С
West Deer										ı	
Harrison			С	С		I(3)					
Natrona										1, 1	
N. Braddock	С				С	I(3)					С
Liberty	С				C, I(3) I(6)	C, I(1) I(6) SPC(6)		С	-		С
Glassport					С						
Lincoln					С						
Clairton					I(6)	I (6)					
South Fayette	С			С	I(6)	I(3)					С
Collier										1	
Parkway East		C(T)	C(T)			С			вс		С
Russellton										ı	
<u>Total</u>	C = 5	C = 3	C = 2	C =3	C = 5 I = 5	C = 4 I = 10 SPC = 2	I = 0	C = 2	C = 1 I = 5	I = 5	C = 6

KEY C = Continuous; I = Intermittent or Filter-Based; BC = Black Carbon (Aethalometer, Continuous data) (1), (3), or (6) = Sampling Frequency [for example, (3) means every third day]

SPC = Speciation; (S) = Seasonal Continuous Monitor; (T) = Trace Level Monitor



Additional Information

For more information concerning Allegheny County air quality data, contact the ACHD Air Quality Program, Planning and Data Analysis Section, at 412-578-8120, or at Shaun.Vozar@AlleghenyCounty.US.

For information concerning Pennsylvania Air Quality, visit: www.dep.state.pa.us/dep/deputate/airwaste/ag/default.htm.

For information about national air quality, visit EPA's website: www.epa.gov.

"This project has been funded wholly or in part by the United States Environmental Protection Agency under assistance agreement 3041-14 to Allegheny County Health Department. The contents of this document do not necessarily reflect the views and policies of the Environmental Protection Agency, nor does the **EPA** endorse trade names or recommend the use of commercial products mentioned in this document."

This report was compiled by the following ACHD staff:

Shaun Vozar



Allegheny County Health Department Air Quality Program 301 39th St., Bldg. 7 Pittsburgh, PA 15201 412-687-ACHD

https://www.alleghenycounty.us/healthdepartment/index.aspx

Allegheny County Health Department Karen Hacker, M.D., M.P.H., Director

Bureau of Environment Health James Kelly, Deputy Director

Air Quality Program Jayme Graham, Manager