

Wholesale Warehouse Sales

Minimum Equipment Installation and Construction Requirements

These requirements apply to any facility that is applying for a permit to operate as a wholesale warehouse, packaged food sales facility, or produce storage facility in Allegheny County.

Equipment Requirements

All food service equipment, refrigeration, and utensils must conform to NSF Standards or the equivalent. This includes all sinks, preparation tables, shelving units, cutting boards, small appliances, refrigeration units, hot holding equipment, and other equipment used to prepare, store, and/or handle food. Residential equipment is not approved for commercial use. NSF Standards are available for review at the Food Safety Program office.

Refrigeration Requirements

- Commercial refrigeration units used to store foods requiring time and temperature control for safety (TCS Foods) must be rated NSF 7 or equivalent.
- Merchandising refrigerators designed for the storage of bottled beverages may be used only in limited circumstances and may not be used to store TCS foods.
- Specialized refrigeration equipment may be required for the maintenance of food temperatures during transport and/or display to the public.
- If any foods will be cooled, dedicated refrigeration should be provided unless the establishment can demonstrate that they will be able to meet cooling requirements through other means.

Food Storage and Display Requirements

- Dry storage must meet NSF standards or equivalent and store food at least 6 inches off the floor.
- Any food displayed to the public must be packaged or have [adequate sneeze protection](#).
- Any food requiring Time and Temperature Control for Safety must be held in approved equipment designed to maintain an appropriate temperature.
- There must be equipment for maintaining appropriate temperature of foods during transport.

Sink Requirements

- All food facilities must have an approved source of safe, potable water. If your proposed location is not connected to a public water source, please consult the [PA Dept. of Environmental Protection](#) for more information.
- Sinks must be equipped with both hot and cold running water.
- All sinks must be NSF or equivalent.
- A handwashing sink is required in or immediately adjacent to each food preparation area, food handling area, ware washing area, and toilet area.
- Food facilities that will be washing fresh produce, thawing frozen items under running water, chilling foods in an ice bath, and/or that have complex food preparation methods must have at least one designated food preparation sink. All food preparation sinks must have approved indirect waste lines.
- A commercial 3-bowl sink with attached drain boards is required if there will be any ware washing, even if a mechanical dishwasher is available.
- A service sink (mop sink/ utility sink) must be located within the facility.



Allegheny County Health Department Food Safety Program

2121 Noblestown Rd., Ste. 210 • Pittsburgh, PA 15205

Phone: (412) 578-8044 • Fax: (412) 578-8190

E-mail: foodsafety@alleghenycounty.us

Restroom Requirements

- All establishments shall provide employee restroom(s). If there are publicly available restrooms, these may serve as employee restrooms unless separate employee restrooms are required by [ACHD Article XV – Plumbing Code](#).
- All restrooms are required to have mechanical ventilation and self-closing doors.

Construction Requirements

- **Floors, walls, and ceilings** in all food preparation and ware washing areas must be smooth, durable, non-absorbent, and easily cleanable.
- **Base coving must be installed at the wall/floor junctures** in all areas of the food establishment where food is prepared, stored, handled, and/or packaged.
- **All junctures must be sealed to no more than 1/32”**. This includes door frames, corner junctures, and all equipment that is permanently affixed to the wall or floor.
- **Lighting** must be permanently fixed, shielded from breakage, and provide at least 20 foot-candles of light in most areas of the facility. In areas where employees are working with utensils or equipment such as knives, slicers, saws, or grinders, there must be at least 50 foot-candles of light to provide for adequate safety.

For additional information, see [Allegheny County Article III Food Safety Rules and Regulations](#) and the [FDA Model Food Code](#).



Allegheny County Health Department Food Safety Program

2121 Noblestown Rd., Ste. 210 • Pittsburgh, PA 15205

Phone: (412) 578-8044 • Fax: (412) 578-8190

E-mail: foodsafety@alleghenycounty.us