



ALLEGHENY COUNTY HEALTH DEPARTMENT

FOOD SAFETY PROGRAM

FOOD SAFETY ASSESSMENT REPORT

2121 NOBLESTOWN RD, SUITE #210
 PITTSBURGH, PA 15205
 PHONE: 412-578-8044 FAX: 412-578-8190

Client ID: 202402210011	Client Name: Choices Lounge
Address: 2404 WEBSTER AVE	Inspection Date: 4/11/2026
City: PITTSBURGH	Purpose: Comprehensive
State: PA	Zip: 15219
Municipality: CITY OF PITTSBURGH -	Inspector: Amanda Arvelo
Category Code: 201-Restaurant with Liquor	Permit Exp. Date: 2/28/2027
Re-Inspection: Yes	Priority Code: 1
Re-Inspection Date: 4/13/2026	Class: 3

Food Safety Assessment Categories	Assessment Status					Violation Risk			
	◆	S	NA	NO	V	High	Med.	Low	Imminent
1 Food Source/Condition					X				X
2 Cooking Temperatures #		X							
3 Consumer Advisory		X							
4 Reheating Temperatures #		X							
5 Cooling Food #		X							
6 Hot Holding Temperatures #		X							
7 Cold Holding Temperatures #		X							
8 Facilities to Maintain Temperature		X							
9 Date Marking of Food		X							
10 Probe-Type Thermometers		X							
11 Cross-Contamination Prevention #		X							
12 Employee Health #		X							
13 Employee Personal Hygiene #		X							
14 Cleaning and Sanitization #		X							
15 Water Supply		X							
16 Waste Water Disposal		X							
17 Plumbing		X							
18 Handwashing Facilities		X							
19 Pest Management #					X			X	
20 Toxic Items		X							
21 Certified Food Protection Manager		X							
22 Demonstration of Knowledge		X							
23 Contamination Prevention - Food, Utensils and Equipment		X							
24 Fabrication, Design, Installation and Maintenance		X							
25 Toilet Room		X							
	0	23	0	0	2	0	0	1	1

General Sanitation	Assessment Status					Violation Risk			
	◆	S	NA	NO	V	High	Med.	Low	Imminent
26 Garbage and Refuse		X							
27 Floors		X							
28 Walls and ceilings					X			X	
29 Lighting		X							
30 Ventilation		X							
31 Dressing rooms and Locker rooms			X						
32 General Premises		X							
33 Administrative		X							
# U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection.	0	6	1	0	1	0	0	1	0
	0	29	1	0	3				

◆ - Diamond Exceptional S - SATISFACTORY NO - NOT OBSERVED NA - NOT APPLICABLE V - VIOLATION



ALLEGHENY COUNTY HEALTH DEPARTMENT

FOOD SAFETY PROGRAM

FOOD SAFETY ASSESSMENT REPORT

2121 NOBLESTOWN RD, SUITE #210
PITTSBURGH, PA 15205
PHONE: 412-578-8044 FAX: 412-578-8190

INSPECTION DETAILS

Inspector Name: Amanda Arvelo **Balance Amount:** \$0.00
Placarding: Imminent Hazzard - Closure **Contact:** Edward Webb
Start Time: 12:25 AM **End Time:** 12:45 AM

Violation: 1 Food Source/Condition

Comments: IMMINENT HAZARD
*IMMINENT HAZARD****
- (343) Wastewater is actively leaking through the ceiling of men's restroom and is being tracked throughout the food facility.

Food Code Section(s):

Corrective Action: Investigate and repair to prevent water from leaking through the ceiling.

Violation: 19 Pest Management

Comments: *LOW RISK*

-Rodent droppings in kitchen behind freezer chest.

Food Code Section(s): 317

Corrective Action: Remove rodent droppings

Violation: 28 Walls and ceilings

Comments: *LOW RISK*

-Water damaged ceiling tiles in kitchen.

Food Code Section(s): 312

Corrective Action: Repair or replace

OTHER ASSESSMENT OBSERVATIONS AND COMMENTS

Satisfactory Observations:

Exceptional Observations:

General Comments:

Food facility is ordered to close due to an active water leak in a critical area. Closure placard placed. Do not remove, conceal, or cover the closure placard.

In order to remove closure, leak must be eliminated.

Supervisor D. McKee present during inspection.