

ALLEGHENY

November 16, 2018

VIA INTER-OFFICE MAIL AND EMAIL

Max Slater, Esq. Administrative Hearing Officer Allegheny Co. Health Dept. 542 Fourth Avenue Pittsburgh, PA 15219

RE: WB Convenience Appeal filed October 4, 2018 (Client ID 200101160005).

Dear Hearing Officer Slater:

On September 26, 2018, the Allegheny County Health Department ("ACHD" or "Department") issued a notice of violation to WB Convenience for a violation of the ACHD Rules and Regulations Article III, "Food Safety", ("Article III") observed at 801 W. Main Street, Carnegie, PA 15106 ("Facility") ("Sept. 26th Report"). The violation arose because the Facility's dumpsters were placed in a location that created a nuisance to the neighboring property. On October 4, 2018, the Facility filed an appeal challenging the complaint and alleged that the Sept. 26th Report was based on the neighbor's allegations and should therefore be dismissed.

The ACHD moves to dismiss the appeal on the following grounds. ACHD Rules and Regulations Article XI, Hearings and Appeals ("Article XI") § 1104.B states that the Notice of Appeal "shall set forth with particularity the manner in which the Appellant is aggrieved by the action of the Department..." Article XI § 1102 defines "action" as "[a]ny order, notice, decision, determination or ruling by the Department affecting personal or property rights, privileges, immunities, duties, liabilities or obligations of any person." The Facility claims that it is aggrieved because the ACHD issued a violation upon receipt of a complaint regarding the location of the Facility's dumpsters. Essentially, the Facility is appealing the fact that the ACHD received a complaint. A complaint is not an "action" by the ACHD as defined by Article XI § 1102. Furthermore, the appeal suggests that the Sept. 26th Report was issued purely based on the complaint and for this reason requests that the report be dismissed. However, violations are issued based on the independent inspections and investigations conducted by ACHD staff which may or may not have been initiated by a complaint. In this case, the Sept. 26th Report is based on an inspection of the Facility's premises conducted by ACHD inspector Varangkorn Nakkeow. The inspection was conducted to investigate a complaint and independently determine whether any violations of Article III actually existed, which in this case they did.



Letter to Max Slater, Esq. Re: WB Convenience Appeal November 16, 2018 Page 2 of 2

Moreover, the ACHD believes that the Facility is involved in a dispute with its neighbor. However, the ACHD asserts that the Facility's actions in this dispute resulted in an Article III violation and the ACHD urges the Facility to resolve its private dispute outside of this tribunal. Therefore, the ACHD requests that this tribunal dismiss the appeal on the grounds that receiving a complaint is not an appealable "action" and that this tribunal is not the proper forum to resolve disputes between neighbors. If you have any questions, I can be reached at 412-578-2653.

Sincerely,

Vijyalakshmi Patel ACHD Assistant Solicitor

Enclosure

cc: Donna Scharding, ACHD Food Safety Program Manager (via email) Jennifer L. Beresky, Esq., Counsel for Appellant (via email)



Notice of Appeal

OCT 64 2018

DIRECTOR'S

This form is used to file an appeal of an order, notice, decision, determination, or ruling by the Allegheny County Health Department. Please complete this form (use additional pages as necessary). If more than one person or entity is filing this appeal, please attach a separate form for each additional appellant. A copy of the order, notice, decision, determination, or ruling must be attached to the Notice of Appeal.

	or ruling must be attached to the Notice of Appeal.	uer,
Name WB Convenience Store		Marine and a second
Mailing Address 801 W. Main	Street	an billion some
	State PA Zip 15106 Email	entante principales.
Phone 412-276-2027	Fax (optional)	······································
	orney, please provide contact information for your attorney:	and the company of th
Marg Address 100 Ryan Cou	rt, Suite 9	
City Pittsburgh	State <u>PA</u> Zip <u>15205</u> Email jberesky@rig-consulting.c	om
Phone 412-693-3007	Fax (optional)	:
WB Convenience Store received. The report was based on the coal a documented animus against Vaneighbor's request to use the State accommodate the neighbor with to Section 318 of the ACHD's a maintained clean dumpsters, en	d a negative food safety assessment report, noted as a low risk. Inplaint of the neighboring property owner, however, this neighbor WB Convenience Store, as the Store had previously denied the pre's parking lot for a monthly rental fee. The Store has tried to a various other complaints, but the report we received pertained on article III Food fafety Regulations and per that Section, the Store has uppeed with lids that remain closed when not in use. We believe the use of the neighbor's aforementioned unhappiness with our refusal	has ly as
	Hearing Officer dismiss the negative report without further enforce	
	th Department EXHIBIT	,

Address:

City:

ALLEGHENY COUNTY HEALTH DEPARTMENT

FOOD SAFETY PROGRAM 3901 PENN AVE, PITTSBURGH, PA 15224

FOOD SAFETY ASSESSMENT REPORT

PHONE: 412-578-8044 FAX: 412-578-8190

Client ID: 200101160005

801 W Main St

Carnegie State: I

State: PA Zip: 15106

Client Name: W B Convenience

Municipality: Carnegie Inspector: Nakkeow , Varangkorn Category Code: 113-Retail/Convenience Store

Permit Exp. Date: 12/31/2018 Priority Code: 1

09/26/2018

Complaint

Inspection Date:

Purpose:

Re-Inspection: No Selection Re-Inspection Date: 10/10/2018

Food Safety Assessment Categories	b	Assessment Status				Viola	Violation Risk			
	•	S	NO	NA	V	High	Med.	Low		
1 Food Source/Condition										
2 Cooking Temperatures #		1				7,100		***************************************		
3 Consumer Advisory										
4 Reheating Temperatures #						-				
5 Cooling Food #						1				
6 Hot Holding Temperatures #					~~~					
7 Cold Holding Temperatures #						-				
8 Facilities to Maintain Temperature										
9 Date Marking of Food						1				
10 Probe-Type Thermometers										
11 Cross-Contamination Prevention #						1				
12 Employee Health #						1				
13 Employee Personal Hygiene #	_		<u> </u>			-				
14 Cleaning and Sanitization #						-				
15 Water Supply										
16 Waste Water Disposal						-	***************************************			
17 Plumbing		-	 			-				
18 Handwashing Facilities			 			-				
19 Pest Management #		-				1				
20 Toxic Items						1				
21 Certified Food Protection Manager										
22 Demonstration of Knowledge	<u> </u>									
23 Contamination Prevention - Food, Utensils and Equipment										
24 Fabrication, Design, Installation and Maintenance	_									
25 Toilet Room						-				
	0	0	0	0	0	0	0	0		
General Sanitation		Asses	sment	Statu	S	Violation Ri		isk		
	A	S	NO	NA	V		Med.	Low		
26 Garbage and Refuse		<u> </u>	-		N/2	-	****			
27 Floors					X	┦		X		
28 Walls and ceilings			<u> </u>			-				
29 Lighting										
30 Ventilation	-	-								
31 Dressing rooms and Locker rooms		-								
32 General Premises			 			-				
33 Administrative	-					-				
oo a carringuativo	0	1		_	.4	110	0	- 4		
# U.S. Centers for Disease Control and Prevention "high risk"	0	0	0	0	1	0	0	4		
" 0.0. Comers for Disease Control and Flevention High IISK	U	U	U	0	1					

◆ - Diamond Exceptional Client # 200101160005

for

S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation

Page 1 of 2





ALLEGHENY COUNTY HEALTH DEPARTMENT

FOOD SAFETY PROGRAM 3901 PENN AVE. PITTSBURGH, PA 15224

FOOD SAFETY ASSESSMENT REPORT

PHONE: 412-578-8044 FAX: 412-578-8190

INSPECTION DETAILS

Inspector Name: Nakkeow, Varangkorn

Balance Amount:

\$142.00

Placarding:

Inspected & Permitted

Contact:

Sharmon Winters

Start Time:

01:30:00 PM

End Time: 02:30:00 PM

Phone:

(412) 276-0688

Violation: Comments: 26 Garbage and Refuse

LOW RISK

- Dumpster placed next to the window of the adjacent home.

- Noxious odors present.

Food Code Section(s): 318

Corrective Action: Relocate

Other Assesment observations and comments:

Exceptional Observations: